



US00D750778S

(12) **United States Design Patent**
Wapler et al.

(10) **Patent No.:** **US D750,778 S**
(45) **Date of Patent:** **** Mar. 1, 2016**

(54) **SURGICAL NAVIGATION STICKER**

- (71) Applicant: **Stryker European Holdings I, LLC**,
Kalamazoo, MI (US)
- (72) Inventors: **Matthias Wapler**, Kirschzarten (DE);
Sascha Kubis, Freiburg (DE)
- (73) Assignee: **STRYKER EUROPEAN HOLDINGS,**
I, LLC, Kalamazoo, MI (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/511,431**
- (22) Filed: **Dec. 10, 2014**
- (30) **Foreign Application Priority Data**

Nov. 5, 2014 (EM) 001426142-0001

- (51) **LOC (10) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/140**
- (58) **Field of Classification Search**
USPC D24/140, 144, 133, 158; D20/2, 10, 11,
D20/19, 22, 23, 99; D19/100; 40/300, 360,
40/630, 638
CPC G09F 3/0288; G09F 21/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D427,370 S * 6/2000 Kalafsky D24/135
- D441,081 S * 4/2001 Mueller D24/135

(Continued)

Primary Examiner — Wan Laymon
Assistant Examiner — Mark Booker

(74) *Attorney, Agent, or Firm* — Howard & Howard
Attorneys PLLC

(57) **CLAIM**

The ornamental design for a surgical navigation sticker, as shown and described.

DESCRIPTION


FIG. 1 is a top view of a first embodiment of a surgical navigation sticker;

FIG. 2 is a left-side view of the first embodiment of the surgical navigation sticker;
 FIG. 3 is a rear view of the first embodiment of the surgical navigation sticker;
 FIG. 4 is a right-side view of the first embodiment of the surgical navigation sticker;
 FIG. 5 is a front view of the first embodiment of the surgical navigation sticker;
 FIG. 6 is a top view of a second embodiment of the surgical navigation sticker;
 FIG. 7 is a left-side view of the second embodiment of the surgical navigation sticker;
 FIG. 8 is a rear view of the second embodiment of the surgical navigation sticker;
 FIG. 9 is a right-side view of the second embodiment of the surgical navigation sticker;
 FIG. 10 is a front view of the second embodiment of the surgical navigation sticker;
 FIG. 11 is a top view of a third embodiment of the surgical navigation sticker;
 FIG. 12 is a left-side view of the third embodiment of the surgical navigation sticker;
 FIG. 13 is a rear view of the third embodiment of the surgical navigation sticker;
 FIG. 14 is a right-side view of the third embodiment of the surgical navigation sticker;
 FIG. 15 is a front view of the third embodiment of the surgical navigation sticker;
 FIG. 16 is a top view of a fourth embodiment of the surgical navigation sticker;
 FIG. 17 is a left-side view of the fourth embodiment of the surgical navigation sticker;
 FIG. 18 is a rear view of the fourth embodiment of the surgical navigation sticker;
 FIG. 19 is a right-side view of the fourth embodiment of the surgical navigation sticker; and,
 FIG. 20 is a front view of the fourth embodiment of the surgical navigation sticker.

The solid black shading shown in the top view of FIG. 1 is intended to show color contrast, such as between the colors black and white as illustrated. The solid black and white shading contains no thickness and forms no part of the claimed design. The bottom of the surgical navigation sticker, shown in broken lines, is flat and devoid of surface ornamentation.

The broken lines shown in the figures represent portions of the article that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D750,778 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D511,573 S	*	11/2005	Mueller	D24/189	
D516,627 S	*	3/2006	Collins	D20/22	* cited by examiner
D629,109 S	*	12/2010	Phillips	D24/158	
D721,181 S	*	1/2015	Schiebl	D24/189	
2013/0017352 A1	*	1/2013	Chang	A45D 29/001 428/41.8	

FIG. 3




FIG. 5

FIG. 8




FIG. 10



FIG. 13



FIG. 12




FIG. 11



FIG. 14



FIG. 15



FIG. 18



FIG. 17




FIG. 16



FIG. 19



FIG. 20