



US00D750804S

(12) **United States Design Patent**
Allesen et al.

(10) **Patent No.:** **US D750,804 S**
(45) **Date of Patent:** **** Mar. 1, 2016**

(54) **CONNECTOR ELEMENT FOR USE IN A FLASHING ASSEMBLY FOR ROOF WINDOWS**

(71) Applicant: **VKR Holdings A/S, Hørsholm (DK)**

(72) Inventors: **Torben Krogsgaard Allesen, Horsens (DK); Michael Nygaard, Odense C (DK)**

(73) Assignee: **VKR Holding A/S (DK)**

(**) Term: **14 Years**

(21) Appl. No.: **29/483,540**

(22) Filed: **Feb. 28, 2014**

(30) **Foreign Application Priority Data**

Aug. 30, 2013 (EM) 002300301

(51) **LOC (10) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/48.7**

(58) **Field of Classification Search**
USPC 52/58, 60-62, 200; D25/48.2, 48.7, 56, D25/61, 199
CPC E06B 2001/628; E06B 2003/66385; E06B 2009/587; E06B 3/549; E04D 13/0315; E04D 13/031; E04D 13/03; E04D 13/0305; E04D 13/00; E04D 1/36; E04D 2001/307
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,840,041	A *	1/1932	Kellogg	52/200
4,471,584	A *	9/1984	Dietrich	52/14
4,543,753	A	10/1985	Sonneborn et al.		
4,603,517	A *	8/1986	Lyons, Jr.	52/60
4,941,300	A *	7/1990	Lyons, Jr.	52/58
5,077,943	A	1/1992	McGady		
5,207,036	A *	5/1993	Sampson et al.	52/72

5,522,189	A *	6/1996	Mortensen et al.	52/200
5,673,520	A *	10/1997	Yannucci, III	52/58
5,913,785	A *	6/1999	Møller et al.	52/200
5,960,596	A *	10/1999	Lyons, Sr.	52/200
6,052,956	A *	4/2000	Hoy et al.	52/200
6,119,416	A *	9/2000	Larson	52/212

(Continued)

FOREIGN PATENT DOCUMENTS

DE	8531994	2/1986
DE	20113998	1/2002

(Continued)

Primary Examiner — Philip S Hyder

Assistant Examiner — Keith Frank

(74) *Attorney, Agent, or Firm* — Merek, Blackmon & Voorhees, LLC



(57) **CLAIM**

The ornamental design for connector element for use in a flashing assembly for roof windows, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view taken from the top and right side of a connector element for use in a flashing assembly for roof windows formed in accordance with a first embodiment showing the design;
FIG. 2 is a perspective view taken from the bottom and right side of the connector element of FIG. 1;
FIG. 3 is a left side view of the connector element of FIG. 1;
FIG. 4 is an enlarged front elevational view shown at the angle presented in FIG. 1;
FIG. 5 is an enlarged rear elevational view shown at the angle presented in FIG. 1;
FIG. 6 is a top plan view of the connector element of FIG. 1, the text "Bottom 5 deg." forms no portion of the claimed design; and,
FIG. 7 is a bottom plan view of the connector element of FIG. 1.

1 Claim, 7 Drawing Sheets



(56)

References Cited

2014/0045363 A1* 2/2014 Mumper et al. 439/346

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

6,195,948 B1* 3/2001 Lamanna 52/200
 6,212,834 B1* 4/2001 Lindgren 52/200
 6,293,064 B1* 9/2001 Larson 52/302.1
 6,327,820 B1* 12/2001 Picco 52/58
 8,161,688 B2* 4/2012 Railkar 52/58
 D714,969 S * 10/2014 Norwood et al. D25/199
 D729,946 S * 5/2015 Sargent et al. D25/60
 2003/0150175 A1* 8/2003 Rillie 52/200
 2005/0268561 A1 12/2005 Lane et al.
 2012/0144761 A1* 6/2012 Teodorovich 52/62
 2012/0167483 A1 7/2012 Lindgren et al.

DK 82857 1/1957
 EP 0087647 9/1983
 EP 1424455 6/2004
 EP 2472027 7/2012
 EP 2472029 7/2012
 FR 2209882 7/1974
 GB 1429022 3/1976
 WO WO99/27211 6/1999

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7