



US00D750981S

(12) **United States Design Patent**  
**Jacoby et al.**

(10) **Patent No.:** **US D750,981 S**  
(45) **Date of Patent:** **\*\* \*Mar. 8, 2016**

(54) **TEMPERATURE CONTROL DEVICE**

(71) Applicant: **Lutron Electronics Co., Inc.**,  
Coopersburg, PA (US)

(72) Inventors: **Elliot G. Jacoby**, Glenside, PA (US);  
**Jason C. Killo**, Emmaus, PA (US); **Brad**  
**Michael Kreschollek**, Bethlehem, PA  
(US)

(73) Assignee: **Lutron Electronics Co., Inc.**,  
Coopersburg, PA (US)

(\*) Notice: This patent is subject to a terminal dis-  
claimer.

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/532,706**

(22) Filed: **Jul. 9, 2015**

**Related U.S. Application Data**

(63) Continuation of application No. 29/481,501, filed on  
Feb. 6, 2014, now Pat. No. Des. 737,154.

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/50; D13/162**

(58) **Field of Classification Search**  
USPC ..... D10/49, 50; D13/162, 162.1  
CPC ..... F23N 5/20; F23N 5/203; F23N 5/206;  
F23N 5/18; F23N 5/184; F23N 5/187; F23N  
5/22; F23N 2025/12; F23N 2041/02; F24F  
11/00; F24F 11/0012; F24F 11/0009; F24F  
11/001; F24F 2011/0057; F24F 2011/0073;  
F24F 2011/0091

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,316,256 A 2/1982 Hendricks et al.

D309,268 S 7/1990 Wada et al.  
D310,340 S 9/1990 Wada et al.  
D364,573 S 11/1995 Pearsall  
D436,930 S 1/2001 Butler  
D453,742 S 2/2002 Butler et al.  
D465,460 S 11/2002 Mayo et al.  
D573,956 S 7/2008 Hollner et al.

(Continued)

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/515,919 of Elliot G. Jacoby et al. filed Jan. 28,  
2015 (unpublished).

U.S. Appl. No. 29/515,921 of Elliot G. Jacoby et al. filed Jan. 28,  
2015 (unpublished).

(Continued)

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Saidman DesignLaw  
Group, LLC

(57) **CLAIM**

We claim the ornamental design for a temperature control  
device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a temperature control device  
showing our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.


FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of a temperature control device  
according to a second embodiment of our new design; and,  
FIG. 8 is a front view thereof, the left side, right side, top, and  
bottom views, respectively, of the second embodiment being  
identical to the left side, right side, top, and bottom views of  
the first embodiment.

The rear views form no part of the design and are omitted. The  
portions of the drawings appearing in broken lines are for  
environment only and do not form part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D649,123 S	11/2011	Jacoby et al.	
8,627,224 B2 *	1/2014	Dahl .....	G06F 3/04886 345/173
D717,742 S	11/2014	Larkin et al.	
D737,154 S *	8/2015	Jacoby .....	D10/50
2010/0229089 A1	9/2010	Narita	

OTHER PUBLICATIONS

U.S. Appl. No. 29/515,922 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

U.S. Appl. No. 29/515,924 of Elliot G. Jacoby et al. filed Jan. 28, 2015 (unpublished).

BTICINO SPA, Matix Brochure, May 2009, 16 pages.

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8