



US00D750987S

(12) **United States Design Patent**
Huang

(10) **Patent No.:** **US D750,987 S**
(45) **Date of Patent:** **** Mar. 8, 2016**

(54) **INTERACTIVE TEST PROBE FOR BATTERY TESTER**

(71) Applicant: **Danaher (Shanghai) Industrial Instrumentation Technologies R&D Co., Ltd., Shanghai (CN)**

(72) Inventor: **Wei Huang, Shanghai (CN)**

(73) Assignee: **Danaher (Shanghai) Industrial Instruments Technologies R&D Co., Ltd., Shanghai (CN)**

(**) Term: **14 Years**

(21) Appl. No.: **29/497,388**

(22) Filed: **Jul. 23, 2014**

(30) **Foreign Application Priority Data**

Jan. 24, 2014 (CN) 2014 3 0021279

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/80**

(58) **Field of Classification Search**
USPC D10/77, 80; 324/72.5, 149, 324/755.01-755.11; 439/482
CPC G01R 1/073; G01R 1/07307; G01R 1/07314; G01R 1/07321; G01R 1/07328; G01R 1/07335; G01R 1/07342; G01R 1/0735; G01R 1/07357; G01R 1/07364; G01R 1/07371; G01R 1/07378; G01R 1/07385
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,136,234	A *	8/1992	Shaw		324/72
D474,415	S *	5/2003	Kirsch		D10/80
9,030,220	B2 *	5/2015	Laurino et al.		324/754.11
2009/0267590	A1 *	10/2009	Atta et al.		324/149
2011/0309853	A1 *	12/2011	Tan		324/755.01
2013/0320962	A1 *	12/2013	Rother et al.		324/149

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Seed IP Law Group PLLC

(57) **CLAIM**

The ornamental design for an interactive test probe for a battery tester, as shown and described.

DESCRIPTION

FIG. 1 is a top front right isometric view of an interactive test probe for a battery tester showing my new design;

FIG. 2 is a top rear left isometric view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is a rear elevation view thereof;

FIG. 7 is a left side elevation view thereof;

FIG. 8 is a right side elevation view thereof;

FIG. 9 is a top front right isometric view of another embodiment of the interactive test probe for a battery tester shown in FIG. 1;

FIG. 10 is a top rear left isometric view thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;


FIG. 13 is a front elevation view thereof;

FIG. 14 is a rear elevation view thereof;

FIG. 15 is a left side elevation view thereof; and,

FIG. 16 is a right side elevation view thereof.

1 Claim, 12 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3




Fig. 4.




Fig. 5.




Fig. 6.



Fig. 7.





Fig. 8.






Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.



Fig. 15.




Fig. 16.