



US00D751276S

(12) **United States Design Patent**
Puni

(10) **Patent No.:** **US D751,276 S**
(45) **Date of Patent:** **** Mar. 15, 2016**

(54) **SHOULDER STABILIZATION SHIRT**

(71) Applicant: **Vishal Puni**, Montreal (CA)

(72) Inventor: **Vishal Puni**, Montreal (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/475,988**

(22) Filed: **Dec. 10, 2013**

(51) **LOC (10) Cl.** **02-02**

(52) **U.S. Cl.**
USPC **D2/840**

(58) **Field of Classification Search**
USPC 2/90, 102, 105, 106; D2/701, 717, 718,
D2/731, 749, 750, 840
CPC D04B 1/246; D04B 1/24; A41D 1/04;
A41D 1/22; A41D 1/18; A41D 13/0512;
A41D 13/0506; A41D 13/0518; A41D
13/0525; A41D 2400/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D120,697 S *	5/1940	Wittingham	2/90
5,937,442 A *	8/1999	Yamaguchi	A41D 13/00 2/115
D525,412 S *	7/2006	O'Mahony	D2/717
D538,512 S *	3/2007	Ota	D2/844
D543,007 S *	5/2007	Beckerman	D2/717
D661,054 S *	6/2012	Minamijima	D2/717
8,533,864 B1 *	9/2013	Kostrzewski	A41D 13/0015 2/69

(Continued)

FOREIGN PATENT DOCUMENTS

CA	154283	*	1/2015	
FR	2899772 A1	*	10/2007 A41D 13/0015

(Continued)

Primary Examiner — Bridget L Eland

Assistant Examiner — Lauren McVey

(74) *Attorney, Agent, or Firm* — Venable LLP; Jeffri A. Kaminski

(57) **CLAIM**

I claim the ornamental design for a shoulder stabilization shirt, as shown and described.

DESCRIPTION

FIG. 1 is a front, right, top perspective view of a shoulder stabilization shirt according to a first embodiment of the invention;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front, right, top perspective view of the shoulder stabilization shirt according to a second embodiment, wherein the remaining views are mirror images of FIGS. 2-7; FIG. 9 is a front, right, top perspective view of the shoulder stabilization shirt according to a third embodiment of the invention;

FIG. 10 is a front view thereof;

FIG. 11 is a rear view thereof;

FIG. 12 is a left side view thereof;

FIG. 13 is a right side view thereof;

FIG. 14 is a top view thereof;

FIG. 15 is a bottom view thereof;


FIG. 16 is an enlarged view of the circled portion shown in FIG. 10; and,

FIG. 17 is a front, right, top perspective view of the shoulder stabilization shirt according to a fourth embodiment of the invention, wherein the remaining views are mirror images of FIGS. 10-16.

The difference in stippled shading in embodiments 3 and 4 is meant to indicate a contrast in appearance between the seams and the remainder of the shirt.

The broken lines shown in the views are included for the purpose of illustrating portions of the shoulder stabilization shirt that form no part of the claimed design.

1 Claim, 13 Drawing Sheets



US D751,276 S

Page 2

(56)

References Cited

2013/0104280 A1* 5/2013 Boynton A61F 5/026
2/79

U.S. PATENT DOCUMENTS

D698,123 S * 1/2014 Yu D2/840
D698,124 S * 1/2014 Yu D2/840
D715,029 S * 10/2014 Roberts D2/840
2008/0047046 A1* 2/2008 Maier A41D 1/04
2/102
2012/0311760 A1* 12/2012 Puni A41D 13/0512
2/69

FOREIGN PATENT DOCUMENTS

WO WO 2007031610 A1 * 3/2007 A41D 1/04
WO WO 2011051599 A1 * 5/2011 A41D 13/0015

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17