

#### US00D751361S

## (12) United States Design Patent

#### Stanworth

### (10) Patent No.:

(45) **Date of Patent:** 

US D751,361 S

\*\* Mar. 15, 2016

#### (54) SPLIT WRENCH

- (71) Applicant: James E. Stanworth, Quitman, GA (US)
- (72) Inventor: James E. Stanworth, Quitman, GA

(US)

- (\*\*) Term: **14 Years**
- (21) Appl. No.: 29/496,141
- (22) Filed: Jul. 9, 2014
- (52) **U.S. Cl.**

(58) Field of Classification Search

USPC ...... D8/21–29; 81/60, 177.1, 177.85, 121.1, 81/124.3, 165–170, 110.1, 176.2, 124.6, 81/176.1, 176.15, 177.2, 186; 16/110.1

#### (56) References Cited

#### U.S. PATENT DOCUMENTS

, ,										
2,972,919	A	*	2/1961	Stalkup	•••••	81/63				
(Continued)										

Primary Examiner — Randall Gholson

(74) Attorney, Agent, or Firm — Nancy J. Flint, Esq.; Nancy J. Flint, Attorney At Law, P.A.

#### (57) CLAIM


The ornamental design for a split wrench, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a split wrench in its closed position showing my new design; FIG. 2 is a front view of the first embodiment of the split wrench in its closed position;

- FIG. 3 is a right side view of the first embodiment of the split wrench in its closed position;
- FIG. 4 is a top view of the first embodiment of the split wrench in its closed position;
- FIG. 5 is a bottom view of the first embodiment of the split wrench in its closed position;
- FIG. 6 is a front perspective view of the first embodiment of the split wrench in its open position;
- FIG. 7 is a front view of the first embodiment of the split wrench in its open position;
- FIG. 8 is a top view of the first embodiment of the split wrench in its open position;
- FIG. 9 is a bottom view of the first embodiment of the split wrench in its open position;
- FIG. 10 is a right side view of the first embodiment of the split wrench in its open position; and
- FIG. 11 is a front perspective view of the first embodiment of the split wrench in its closed position as used to grip a bolt;
- FIG. 12 is a front perspective view of a second embodiment of a split wrench in its closed position showing my new design;
- FIG. 13 is a front view of the second embodiment of the split wrench in its closed position;
- FIG. 14 is a right side view of the second embodiment of the split wrench in its closed position;
- FIG. 15 is a top view of the second embodiment of the split wrench in its closed position;
- FIG. 16 is a bottom view of the second embodiment of the split wrench in its closed position;
- FIG. 17 is a front perspective view of the second embodiment of the split wrench in its open position;
- FIG. 18 is a front view of the second embodiment of the split
- wrench in its open position; FIG. 19 is a top view of the second embodiment of the split wrench in its open position;
- FIG. 20 is a bottom view of the second embodiment of the split wrench in its open position;
- FIG. 21 is a right side view of the second embodiment of the split wrench in its open position; and,
- FIG. 22 is a front perspective view of the second embodiment of the split wrench in its closed position as used to grip a bolt. Right side views not shown are mirror images of left side views. Any broken lines illustrative of environmental structure in the drawings are not part of the design sought to be patented.

#### 1 Claim, 10 Drawing Sheets



# US D751,361 S Page 2

(56)	References Cited	*	10/2001	English
	U.S. PATENT DOCUMENTS	·		
	4,426,895 A * 1/1984 Lack	* cited by examiner		




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6







Fig. 8






Fig. 11 Fig. 10




Fig. 13




Fig. 14




Fig. 15






Fig. 16








Fig. 19




Fig. 20

Mar. 15, 2016




Fig. 21




Fig. 22

