



US00D751376S

(12) **United States Design Patent**  
**Werkman**

(10) **Patent No.:** **US D751,376 S**  
(45) **Date of Patent:** **\*\* Mar. 15, 2016**

(54) **CORD CONNECTOR**

(71) Applicant: **David Werkman**, Niagara Falls (CA)

(72) Inventor: **David Werkman**, Niagara Falls (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/502,939**

(22) Filed: **Sep. 22, 2014**

(51) **LOC (10) Cl.** ..... **08-08**

(52) **U.S. Cl.**  
USPC ..... **D8/383**

(58) **Field of Classification Search**  
USPC ..... D8/383, 349, 354, 356, 382, 394, 396,  
D8/499; D6/854, 823, 861, 862, 863  
CPC ..... A44B 18/00; B65D 63/10; B65D 63/14;  
H01R 13/6392; H01R 13/62; H01R 13/639;  
Y10T 24/3916  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D294,006 S \* 2/1988 Gyax ..... D8/373
- D319,382 S \* 8/1991 Hunter ..... D13/154
- 5,042,113 A \* 8/1991 Severson ..... H01R 13/6392  
24/16 PB
- D341,922 S \* 12/1993 Stocks ..... D2/861
- D368,649 S \* 4/1996 Smartnick ..... D13/154
- D372,461 S \* 8/1996 Kenney ..... D13/154
- D374,815 S \* 10/1996 Snow ..... D13/153
- 5,732,445 A \* 3/1998 Stodolka ..... A44B 18/00  
24/115 A
- 5,752,848 A \* 5/1998 Youngmark ..... H01R 13/6392

- 24/129 R
- D415,110 S \* 10/1999 Maguire ..... D13/154
- D456,361 S \* 4/2002 Troxell ..... D13/154
- D457,761 S \* 5/2002 Eberwein ..... D6/702
- D495,999 S \* 9/2004 Lewis ..... D13/154
- 7,316,580 B1 \* 1/2008 Walker ..... H01R 13/6392  
439/369
- D630,494 S \* 1/2011 Allina, Jr. .... D8/356
- D661,058 S \* 6/2012 Mancino ..... D2/861
- D666,791 S \* 9/2012 Mancino ..... D2/861
- D670,155 S \* 11/2012 Krohmer ..... D8/356
- 9,162,604 B2 \* 10/2015 Thurlow ..... B60P 7/0823

\* cited by examiner

*Primary Examiner* — Sheryl Lane  
*Assistant Examiner* — Ieisha Price

(57) **CLAIM**

The ornamental design for an cord connector, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of a cord connector, showing my new design.

FIG. 2 is a rear inverted view of the cord connector shown in FIG. 1; and,

FIG. 3 is an end view of the cord connector shown in FIG. 1. The broken lines showing of rectangles, located on the front and rear of the claimed design, represent portions of the cord connector and form no part of the claimed design. The broken lines located along the perimeter of the claimed design represent stitching and form a part of the claimed design.

**1 Claim, 1 Drawing Sheet**







fig. 3