



US00D751436S

(12) **United States Design Patent**
Kagan et al.

(10) **Patent No.:** **US D751,436 S**
(45) **Date of Patent:** **** Mar. 15, 2016**

(54) **MULTI-FEEDER POWER MONITOR**

(71) Applicant: **Electro Industries/Gauge Tech,**
Westbury, NY (US)

(72) Inventors: **Erran Kagan,** Great Neck, NY (US);
Tibor Banhegyesi, Baldwin, NY (US);
Avi Cohen, Great Neck, NY (US)

(73) Assignee: **Electro Industries/Gauge Tech,**
Westbury, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/534,962**

(22) Filed: **Aug. 3, 2015**

Related U.S. Application Data

(63) Continuation of application No. 29/487,728, filed on Apr. 11, 2014, now Pat. No. Des. 735,597, which is a continuation of application No. 29/455,044, filed on May 16, 2013, now Pat. No. Des. 703,077, which is a continuation of application No. 29/410,201, filed on Jan. 5, 2012, now Pat. No. Des. 682,721.

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/100; D10/99**

(58) **Field of Classification Search**
USPC **D10/99, 100**
CPC **G01R 22/00; G01R 22/06; G01R 22/061; G01R 22/08; G01R 22/10; G01R 22/065; G01R 21/00; G01R 21/06; G01R 21/133; G01R 21/1331; G01R 21/1333; G01R 21/1335; G01R 21/1336; G01R 21/1338**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D241,006 S 8/1976 Wallace

D332,923 S 2/1993 Polydoris et al.
D343,786 S 2/1994 Hines et al.
D348,019 S 6/1994 Kocol et al.
5,581,470 A 12/1996 Pawloski
D427,533 S 7/2000 Cowan et al.
D429,655 S 8/2000 Cowan et al.
D435,471 S 12/2000 Simbeck et al.
D439,535 S 3/2001 Cowan et al.
D443,541 S 6/2001 Hancock et al.
D455,066 S 4/2002 Kolinen
D458,863 S 6/2002 Harding et al.
D459,259 S 6/2002 Harding et al.

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Michael J. Porco; Gerald E. Hespos; Matthew T. Hespos


(57) **CLAIM**

The ornamental design of a “multi-feeder power monitor”, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a multi-feeder power monitor of our new, original and ornamental design; FIG. 2 is a rear perspective view of the multi-feeder power monitor of FIG. 1; FIG. 3 is a top plan view of the multi-feeder power monitor of FIG. 1; FIG. 4 is a rear elevational view of the multi-feeder power monitor of FIG. 1; FIG. 5 is a right side view of the multi-feeder power monitor of FIG. 1; FIG. 6 is a left side view of the multi-feeder power monitor of FIG. 1; FIG. 7 is a front elevational view of the multi-feeder power monitor of FIG. 1; and, FIG. 8 is a bottom plan view of the multi-feeder power monitor of FIG. 1. The broken lines shown in FIGS. 1-8 form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,476,595	B1	11/2002	Heuell et al.	D653,572	S	2/2012	Ohtani et al.	
6,476,729	B1	11/2002	Liu	8,176,174	B2	5/2012	Kagan	
6,745,138	B2	6/2004	Przydatek et al.	D666,933	S	9/2012	Hoffman et al.	
D525,893	S	8/2006	Kagan et al.	8,310,403	B2	11/2012	Nahar	
D526,920	S	8/2006	Kagan et al.	8,325,057	B2	12/2012	Salter	
D545,181	S	6/2007	Kagan et al.	D682,720	S	5/2013	Kagan et al.	
7,271,996	B2	9/2007	Kagan et al.	D682,721	S	5/2013	Kagan et al.	
7,417,419	B2	8/2008	Tate	8,442,792	B1 *	5/2013	Elberbaum G06F 19/00
7,868,782	B2	1/2011	Ehrke et al.					702/107
D642,083	S	7/2011	Blanc et al.	8,704,509	B2 *	4/2014	Neal G01R 11/04
								324/127
				2014/0055125	A1	2/2014	Irby et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8