

US00D751468S

(12) **United States Design Patent**
Stryker et al.

(10) **Patent No.:** **US D751,468 S**
(45) **Date of Patent:** **** Mar. 15, 2016**

(54) **TRANSPORT APPARATUS**

(71) Applicant: **Stryker Corporation**, Kalamazoo, MI (US)

(72) Inventors: **Martin W. Stryker**, Kalamazoo, MI (US); **Jason James Wroblewski**, Kalamazoo, MI (US)

(73) Assignee: **Stryker Corporation**, Kalamazoo, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/486,645**

(22) Filed: **Apr. 1, 2014**

(51) **LOC (10) Cl.** **12-12**

(52) **U.S. Cl.**
USPC **D12/131**

(58) **Field of Classification Search**
USPC D12/128–133
CPC A61H 3/00; A61H 3/04; A61H 2003/001–2003/007; A61H 2003/043; A61H 2003/046; A61G 5/00–5/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,107,105	A	10/1963	Heriford	
3,493,245	A	2/1970	Nabinger	
3,888,463	A	6/1975	O'Brien et al.	
4,157,593	A	6/1979	Kristensson	
4,255,823	A *	3/1981	Boyer	A61G 7/1007 280/47.16
4,826,196	A *	5/1989	Kirkpatrick	A61G 5/08 280/650
5,001,789	A	3/1991	Schoenberger	
5,112,076	A *	5/1992	Wilson	A61G 5/045 180/907
5,380,034	A *	1/1995	Wilson	A61G 5/006 280/30
6,092,247	A	7/2000	Wilson	
6,547,265	B1 *	4/2003	Enge	A61G 5/1002 135/66

6,913,318	B2 *	7/2005	Higley	A61G 5/1067 297/383
7,201,438	B2 *	4/2007	Reinsch	A47C 1/036 297/61
D653,591	S *	2/2012	Horvath	D12/128
8,646,124	B2 *	2/2014	Stryker	A61G 5/1059 5/81.1 R
9,084,708	B2 *	7/2015	Horvath	A61G 5/1059
2006/0048294	A1	3/2006	Maguire et al.	

FOREIGN PATENT DOCUMENTS

JP 2001346839 12/2001

OTHER PUBLICATIONS

Supplementary European Search Report, dated Oct. 7, 2014, for corresponding U.S. Appl. No. 29/486,645.
Supplementary European Written Opinion, dated Oct. 7, 2014, for corresponding U.S. Appl. No. 29/486,645.

* cited by examiner

Primary Examiner — Susan Hattan
Assistant Examiner — Charles Hanson
(74) *Attorney, Agent, or Firm* — Warner Norcross & Judd LLP

(57) **CLAIM**
The ornamental design for transport apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a transport apparatus;
FIG. 2 is a second perspective of the transport apparatus;
FIG. 2A is a third perspective view of the transport apparatus showing shading;
FIG. 3 is a left side elevation view of the transport apparatus of FIG. 1;
FIG. 4 is a right side elevation view of the transport apparatus of FIG. 1;
FIG. 5 is a front elevation view of the transport apparatus of FIG. 1;
FIG. 6 is a rear elevation view of the transport apparatus;
FIG. 7 is a top plan view of the transport apparatus of FIG. 1;




FIG. 8 is a bottom plan view of the transport apparatus of FIG. 1;

FIG. 9 is a similar view to FIG. 1 showing the transport apparatus in a raised configuration;

FIG. 10 is a similar view to FIG. 2 showing the transport apparatus in a raised configuration;

FIG. 11 is a similar view to FIG. 3 showing the transport apparatus in a raised configuration;

FIG. 12 is a similar view to FIG. 4 showing the transport apparatus in a raised configuration;

FIG. 13 is a similar view to FIG. 5 showing the transport apparatus in a raised configuration;

FIG. 14 is a similar view to FIG. 6 showing the transport apparatus in a raised configuration;

FIG. 15 is a similar view to FIG. 7 showing the transport apparatus in a raised configuration;

FIG. 16 is a similar view to FIG. 8 showing the transport apparatus in a raised configuration;

FIG. 17 is a perspective view of the transport apparatus of FIG. 1 with the sling removed to clearly show all portions of the transport apparatus;

FIG. 18 is a second perspective view of the transport apparatus of FIG. 17;

FIG. 19 is a front elevation view of the transport apparatus of FIG. 17;

FIG. 20 is a rear elevation view of the transport apparatus of FIG. 17;

FIG. 21 is a left side elevation view of the transport apparatus of FIG. 17;

FIG. 22 is a right side elevation view of the transport apparatus of FIG. 17;

FIG. 23 is a top plan view of the transport apparatus of FIG. 17; and,

FIG. 24 is a bottom plan view of the transport apparatus of FIG. 17.

1 Claim, 24 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24