



US00D751476S

(12) **United States Design Patent**  
**Suzuki et al.**

(10) **Patent No.:** **US D751,476 S**  
(45) **Date of Patent:** **\*\* Mar. 15, 2016**

(54) **OPERATOR FOR A VEHICLE EQUIPMENT**

(71) Applicant: **DENSO CORPORATION**, Kariya,  
Aichi-pref. (JP)

(72) Inventors: **Tsuyoshi Suzuki**, Kariya (JP); **Yasuhiko Yamazaki**, Nagoya (JP); **Shigeaki Nishihashi**, Nagoya (JP)

(73) Assignee: **DENSO CORPORATION**, Kariya,  
Aichi-pref. (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/504,653**

(22) Filed: **Oct. 8, 2014**

(30) **Foreign Application Priority Data**

Apr. 11, 2014 (JP) ..... 2014-7998

(51) **LOC (10) Cl.** ..... **12-16**

(52) **U.S. Cl.**  
USPC ..... **D12/174**

(58) **Field of Classification Search**  
USPC ..... D34/35; D13/110, 123, 162, 162.1,  
D13/168, 171, 158, 164, 177, 184, 199;  
D12/174, 179, 400, 606, 192;  
D14/117.1, 117.2, 117.4, 117.9,  
D14/412-416, 302, 174, 177, 217, 218, 356,  
D14/388, 389, 400, 401, 432-434, 454,  
D14/496; D21/324, 328, 333, 565, 566,  
D21/332; 74/473.1, 473 R, 475, 489, 502.2,  
74/523, 551.8, 551.9; 463/1, 30, 36-38,  
463/46, 47; D8/300, 303, 20; D15/138, 142  
CPC ..... E02F 9/2235; E02F 9/2253; E02F 9/2025;  
G05G 1/02; G05G 1/04; G05G 1/08  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D593,507 S *	6/2009	Svoboda	.....	D13/162
D615,500 S *	5/2010	Muirhead	.....	D13/162
D618,334 S *	6/2010	Le	.....	D24/108
D619,542 S *	7/2010	Svoboda	.....	D13/162
D619,545 S *	7/2010	Chiu	.....	D13/168
D638,803 S *	5/2011	Sakakibara	.....	D13/158
D646,231 S *	10/2011	Chou	.....	D13/162

(Continued)

FOREIGN PATENT DOCUMENTS

JP D 1449632 8/2012

OTHER PUBLICATIONS

U.S. Appl. No. 29/504,647, filed Oct. 8, 2014, Suzuki et al.

(Continued)

*Primary Examiner* — Cynthia Ramirez

*Assistant Examiner* — Gino Colan

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.


(57) **CLAIM**

The ornamental design for an operator for a vehicle equipment, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an operator for a vehicle equipment showing our new design;  
FIG. 2 is a rear elevational view of FIG. 1;  
FIG. 3 is a top plan view of FIG. 1;  
FIG. 4 is a bottom plan view of FIG. 1;  
FIG. 5 is a left elevational view of FIG. 1; with a right elevational view being a mirror image thereof;  
FIG. 6 is a perspective view of FIG. 1; and,  
FIG. 7 is another perspective view.  
The broken lines in the drawings are included for the purpose of illustrating environment and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D751,476 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

D651,986 S \* 1/2012 Feldstein ..... D13/164  
D652,390 S \* 1/2012 Boehm ..... D13/158  
D656,438 S \* 3/2012 Klatt ..... D12/179  
D657,755 S \* 4/2012 Onoda ..... D13/168  
D698,357 S \* 1/2014 Mainville ..... D12/174  
D712,407 S \* 9/2014 Chang ..... D14/389

D723,436 S \* 3/2015 Mihashi ..... D12/179  
D724,002 S \* 3/2015 Woo ..... D12/400  
D732,446 S \* 6/2015 Tachiiri ..... D12/179

### OTHER PUBLICATIONS

U.S. Appl. No. 29/504,649, filed Oct. 8, 2014, Suzuki et al.  
U.S. Appl. No. 29/504,657, filed Oct. 8, 2014, Suzuki et al.

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG - 7