



US00D751516S

(12) **United States Design Patent**  
**Oneufer et al.**

(10) **Patent No.:** **US D751,516 S**  
(45) **Date of Patent:** **\*\* Mar. 15, 2016**

(54) **SWITCH HANDLE FOR CIRCUIT BREAKERS**

(71) Applicant: **Eaton Corporation**, Cleveland, OH (US)

(72) Inventors: **Stephen William Oneufer**, Fayetteville, NC (US); **Edgar Yee**, Chapel Hill, NC (US); **Robert Allan Morris**, Fayetteville, NC (US); **Daniel Boyd Kroushl**, Clayton, NC (US)

(73) Assignee: **Eaton Corporation**, Cleveland, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/485,857**

(22) Filed: **Mar. 24, 2014**

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/174**

(58) **Field of Classification Search**  
USPC ..... D13/160, 174  
CPC ..... G05G 1/04; G05G 1/08; H01H 3/08; H01H 9/02; H01H 9/182; H01H 9/22; H01H 9/282; H01H 71/04; H01H 71/46; H01H 71/56; H01H 71/501  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|           |     |         |                    |           |
|-----------|-----|---------|--------------------|-----------|
| 4,024,441 | A   | 5/1977  | Coyle et al.       |           |
| 4,503,408 | A   | 3/1985  | Mrenna et al.      |           |
| 4,612,424 | A * | 9/1986  | Clark et al.       | 200/50.18 |
| D297,726  | S * | 9/1988  | Araki              | D13/174   |
| 4,851,621 | A * | 7/1989  | Borchardt et al.   | 200/50.05 |
| D349,101  | S * | 7/1994  | Schaeffer          | D13/174   |
| 5,493,083 | A * | 2/1996  | Olivier            | 200/17 R  |
| 5,634,553 | A * | 6/1997  | Hopper et al.      | 200/336   |
| 5,687,834 | A * | 11/1997 | Simon et al.       | 200/336   |
| D404,014  | S * | 1/1999  | Barnard et al.     | D13/174   |
| 5,910,760 | A   | 6/1999  | Malingowski et al. |           |
| 6,194,983 | B1  | 2/2001  | Bogdon et al.      |           |
| D438,846  | S * | 3/2001  | Bonn               | D13/174   |

|              |      |         |                  |           |
|--------------|------|---------|------------------|-----------|
| 6,423,912    | B1 * | 7/2002  | Arenz et al.     | 200/43.08 |
| 6,518,526    | B2 * | 2/2003  | Hamada et al.    | 200/330   |
| 6,596,952    | B1 * | 7/2003  | Degrazia et al.  | 200/330   |
| 6,767,104    | B2 * | 7/2004  | Worrell          | 362/23.21 |
| 6,797,903    | B1 * | 9/2004  | Winslett et al.  | 200/331   |
| 6,969,813    | B1 * | 11/2005 | Winslett et al.  | 200/330   |
| 7,002,088    | B2 * | 2/2006  | Shin             | 200/330   |
| 7,186,933    | B2   | 3/2007  | Turner           |           |
| 7,214,895    | B2 * | 5/2007  | Houck et al.     | 200/310   |
| 7,238,903    | B2 * | 7/2007  | Fischer          | 200/330   |
| D559,206     | S *  | 1/2008  | Neveu            | D13/174   |
| 7,399,934    | B2 * | 7/2008  | Emura et al.     | 200/50.12 |
| 7,420,133    | B2 * | 9/2008  | Farrow et al.    | 200/50.15 |
| D580,880     | S *  | 11/2008 | Lifran           | D13/160   |
| D606,026     | S *  | 12/2009 | Azzola et al.    | D13/160   |
| D635,104     | S *  | 3/2011  | Louise et al.    | D13/174   |
| D641,711     | S    | 7/2011  | Azzola et al.    |           |
| 8,642,903    | B2 * | 2/2014  | Sadowski et al.  | 200/11 J  |
| 2007/0272526 | A1 * | 11/2007 | Ishido et al.    | 200/19.3  |
| 2009/0167468 | A1 * | 7/2009  | Dauer et al.     | 335/46    |
| 2010/0032278 | A1 * | 2/2010  | Lin              | 200/564   |
| 2010/0294632 | A1 * | 11/2010 | Reddering et al. | 200/11 R  |
| 2013/0056340 | A1 * | 3/2013  | Serpinet et al.  | 200/502   |
| 2013/0077210 | A1   | 3/2013  | Morris           |           |
| 2014/0238829 | A1 * | 8/2014  | Takatsu et al.   | 200/237   |
| 2014/0326585 | A1 * | 11/2014 | Reinhart et al.  | 200/43.11 |
| 2015/0008108 | A1 * | 1/2015  | Wu et al.        | 200/293   |
| 2015/0053537 | A1 * | 2/2015  | Manahan          | 200/293   |
| 2015/0103472 | A1 * | 4/2015  | Oneufer et al.   | 361/605   |

OTHER PUBLICATIONS

Product Brochure, Rotary handles, Molded-case circuit breakers, EATON, Jun. 2013, 5 pages.

Chilean Office Action for related Chilean application No. 2014-002395, dated Aug. 31, 2015, 6 pages.

Chilean Office Action for related Chilean application No. 2014-002396, dated Aug. 31, 2015, 6 pages.

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Myers Bigel & Sibley, P.A.

(57) **CLAIM**

The ornamental design for a switch handle for circuit breakers, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, side perspective view of a first embodiment of the switch handle for circuit breakers showing our design;







FIG. 2 is a front, opposing side perspective view thereof;  
FIG. 3 is a front view thereof (the bottom/rear view is dis-claimed);  
FIG. 4 is a side view thereof;  
FIG. 5 is a side view opposite that shown in FIG. 4;  
FIG. 6 is a side view taken at 90 degrees from the view shown in FIG. 5;  
FIG. 7 is a side view opposite that shown in FIG. 6;  
FIG. 8 is a front, side perspective view of the switch handle for circuit breakers shown in an exemplary environmental view on a respective door of a unit of a circuit breaker;  
FIG. 9 is a front, side perspective view of the switch handle for circuit breakers shown in another exemplary environmen-tal view on a door of a unit of a circuit breaker;  
FIG. 10 is a front, side perspective view of the switch handle for circuit breakers shown in FIGS. 1-9, illustrated in an extended lever configuration;  
FIG. 11 is a front, opposing side perspective view thereof;  
FIG. 12 is a front view thereof (the bottom/rear view is dis-claimed);  
FIG. 13 is a side view thereof;  
FIG. 14 is a side view opposite that shown in FIG. 13;  
FIG. 15 is a side view taken at 90 degrees from the view shown in FIG. 14;  
FIG. 16 is a side view opposite that shown in FIG. 15;  
FIG. 17 is a front, side perspective view of the switch handle for circuit breakers with the extended lever shown in an exemplary environmental view on a respective door of a unit of a circuit breaker in an exemplary extended lever orienta-tion;  
FIG. 18 is a front, side perspective view of the switch handle for circuit breakers with the extended lever shown in another exemplary environmental view on a door of a unit of a circuit breaker;  
FIG. 19 is a front, side perspective view of a second embodi-ment of the switch handle for circuit breakers showing our design;

FIG. 20 is front, opposing side perspective view thereof;  
FIG. 21 is a front view thereof (the bottom/rear view is dis-claimed);  
FIG. 22 is a side view thereof;  
FIG. 23 is a side view opposite that shown in FIG. 22;  
FIG. 24 is a side view taken at 90 degrees from the view shown in FIG. 23;  
FIG. 25 is a side view opposite that shown in FIG. 24;  
FIG. 26 is a front, side perspective view of the switch handle for circuit breakers shown in an exemplary environmental view on a respective door of a unit of a circuit breaker;  
FIG. 27 is a front, side perspective view of the switch handle for circuit breakers shown in another exemplary environmen-tal view on a door of a unit of a circuit breaker;  
FIG. 28 is a front, side perspective view of the switch handle for circuit breakers shown in FIGS. 19-27, illustrated in an extended lever configuration;  
FIG. 29 is a front, opposing side perspective view thereof;  
FIG. 30 is a front view thereof (the bottom/rear view is dis-claimed);  
FIG. 31 is a side view thereof;  
FIG. 32 is a side view opposite that shown in FIG. 31;  
FIG. 33 is a side view taken at 90 degrees from the view shown in FIG. 32;  
FIG. 34 is a side view opposite that shown in FIG. 33;  
FIG. 35 is a front, side perspective view of the switch handle for circuit breakers with the extended lever shown in an exemplary environmental view on a respective door of a unit of a circuit breaker in an exemplary extended lever orienta-tion; and,  
FIG. 36 is a front, side perspective view of the switch handle for circuit breakers with the extended lever shown in another exemplary environmental view on a door of a unit of a circuit breaker.  
The broken lines shown herein are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 20 Drawing Sheets**








FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG. 11






FIG. 12




FIG. 13

FIG. 14






FIG. 15

FIG. 16






FIG. 17








FIG. 18






FIG. 21




FIG. 22






FIG. 23




FIG. 24




FIG. 25




FIG. 26






FIG. 27








FIG. 30




FIG. 31

FIG. 32






FIG. 33

FIG. 34








FIG. 35




FIG. 36