



US00D751624S

(12) **United States Design Patent**
Minn et al.

(10) **Patent No.:** **US D751,624 S**
(45) **Date of Patent:** **** Mar. 15, 2016**

(54) **BALL HEAD OF A TRIPOD FOR AN ELECTRONIC DEVICE**

5,072,907 A * 12/1991 Vogt F16C 11/106
248/181.1

D349,717 S 8/1994 Akaike et al.
D349,914 S 8/1994 Usui

(Continued)

(71) Applicant: **Kenu, Inc.**, San Francisco, CA (US)

(72) Inventors: **Kenneth Y. Minn**, San Francisco, CA (US); **David E. Yao**, San Francisco, CA (US); **Leonard John Duran**, Mill Valley, CA (US)

FOREIGN PATENT DOCUMENTS

CH 141045-0001 11/2014
CH 141045-0002 11/2014

(Continued)

(73) Assignee: **KENU, INC.**, San Francisco, CA (US)

OTHER PUBLICATIONS

(**) Term: **14 Years**

Kenu, Inc.; Stance Compact Tripod; <https://web.archive.org/web/20150202091854/http://www.kenu.com/products/STANCE>;
Archived date: Feb. 2, 2015.

(21) Appl. No.: **29/508,966**

(22) Filed: **Nov. 12, 2014**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/506,667, filed on Oct. 17, 2014, now Pat. No. Des. 741,397.

(51) **LOC (10) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/242**

(58) **Field of Classification Search**
USPC D8/387; D16/237, 239, 242, 244, 245;
248/176.1, 177.1, 185.1, 187.1, 161,
248/176.3, 288.31; 396/419, 420, 422, 425,
396/428

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,670,228 A * 2/1954 Pagliuso F16M 11/14
248/177.1
3,539,208 A * 11/1970 Dosso F16C 11/106
248/181.1
4,640,482 A 2/1987 Rogers
4,648,698 A 3/1987 Iwasaki
4,751,540 A 6/1988 Jones
D299,243 S 1/1989 Iwasaki

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Leanne Was

(74) *Attorney, Agent, or Firm* — Troutman Sanders, LLP


(57) **CLAIM**

We claim the ornamental design for a ball head of a tripod for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a ball head of a tripod for an electronic device;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top plan view thereof; and
FIG. 7 is a bottom plan view thereof; and
FIG. 8 is an alternate perspective view thereof.
The evenly spaced broken lines in FIGS. 2-5 depict portions of the ball head of a tripod for an electronic device that form no part of the claimed design. The evenly spaced broken lines in FIG. 8 depict environment that forms no part of the claimed design. The dash-dot-dash broken lines in FIGS. 2-5 & 7 depict the bounds of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D350,970 S 9/1994 Usui
 5,390,885 A 2/1995 Shen
 D357,267 S 4/1995 Yotsuya
 D357,493 S 4/1995 Yotsuya
 D365,588 S * 12/1995 Fernandez D16/242
 5,544,968 A * 8/1996 Goellner B23Q 1/5462
 248/181.1
 5,708,890 A 1/1998 Nakano
 5,772,164 A 6/1998 Shen
 D445,123 S 7/2001 Shen
 D508,938 S 8/2005 Murray et al.
 7,011,280 B2 3/2006 Murray et al.
 D532,436 S 11/2006 Kruse et al.
 7,290,740 B2 11/2007 Joy et al.
 D575,293 S 8/2008 Derry et al.
 7,503,709 B2 * 3/2009 Liang G03B 17/00
 348/373
 7,551,225 B2 * 6/2009 Overstreet F16M 11/02
 248/187.1
 D596,658 S * 7/2009 Dordick D16/242
 D600,736 S * 9/2009 Zen D16/242
 D603,442 S * 11/2009 Dordick D16/242
 D614,613 S 4/2010 Kim et al.
 7,712,719 B2 5/2010 Derry et al.
 8,061,920 B2 * 11/2011 Wimberley F16M 11/14
 248/181.1
 D651,633 S * 1/2012 Park D16/203
 D654,528 S * 2/2012 Easley D16/245
 8,186,639 B2 5/2012 Wang
 D664,182 S 7/2012 Braunstein et al.
 D669,065 S 10/2012 Fromm
 D678,387 S * 3/2013 Stump D16/244

D690,707 S 10/2013 Minn et al.
 D706,333 S 6/2014 Chun
 D714,267 S * 9/2014 Kallas D14/229
 D715,790 S 10/2014 Conomos et al.
 D717,360 S 11/2014 Chun
 D718,298 S 11/2014 Aspinall et al.
 D718,365 S 11/2014 Kim et al.
 D720,759 S 1/2015 Deng et al.
 D721,267 S * 1/2015 Chun D8/387
 D723,091 S 2/2015 Hale
 D726,175 S 4/2015 Tsai et al.
 D730,421 S * 5/2015 Huang D16/202
 2006/0175482 A1 * 8/2006 Johnson F16M 11/02
 248/176.1
 2007/0152116 A1 * 7/2007 Madsen F16M 11/14
 248/181.1
 2008/0121767 A1 * 5/2008 Wimberley F16M 11/14
 248/181.1
 2012/0269503 A1 10/2012 Hale
 2013/0175413 A1 7/2013 Waugh
 2013/0264450 A1 * 10/2013 Bigeh F16M 11/14
 248/288.31
 2014/0097306 A1 4/2014 Hale et al.

FOREIGN PATENT DOCUMENTS

CN 202749876 2/2013
 EM 002155614-0001 3/2013
 EM 002588962-0001 4/2015
 EM 002645523-0001 4/2015
 GB 2467614 A 8/2010
 JP D1250886 S 9/2005
 TW 455327 9/2001

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8