



US00D751630S

(12) **United States Design Patent**
Galleani et al.

(10) **Patent No.:** **US D751,630 S**
(45) **Date of Patent:** **** Mar. 15, 2016**

(54) **PART OF SPECTACLE FRAMES**

(71) Applicants: **Marco Galleani**, Albignasego (IT);
Moreno Zanetto, Vigo di Cadore (IT)

(72) Inventors: **Marco Galleani**, Albignasego (IT);
Moreno Zanetto, Vigo di Cadore (IT)

(73) Assignee: **Marcolin S.P.A.**, Longarone (BL) (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/496,763**

(22) Filed: **Jul. 17, 2014**

(30) **Foreign Application Priority Data**

Jan. 17, 2014 (EP) 002386086-0002

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/324; D16/326**

(58) **Field of Classification Search**
USPC D16/101, 300–342, 900; D29/109–110;
351/41, 44, 51–52, 62, 158, 92,
351/103–123, 140–153, 63, 59, 45–48;
2/426–432, 447–449, 441, 434–437,
2/13, 15; D21/483, 659–661; D14/372
CPC G02C 2200/08; G02C 1/06; G02C 5/14;
G02C 11/02; G02C 11/04; G01C 5/16;
A61M 2021/0044; A63B 33/002
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D146,237 S * 1/1947 Sills D16/324
D157,074 S * 1/1950 Myers D16/324
D161,718 S * 1/1951 Stenzel D16/324

D161,993 S * 2/1951 Anderson D16/324
D174,210 S * 3/1955 Belgard D16/324
D205,378 S * 7/1966 Griss D16/324
3,402,005 A * 9/1968 Liautaud et al. 351/122
D294,950 S * 3/1988 Shelton et al. D16/324
D302,166 S * 7/1989 Haas D16/324
D326,274 S * 5/1992 Perrin D16/324
D326,674 S * 6/1992 Mehringer D16/324
5,181,051 A * 1/1993 Townsend et al. 351/52
D377,188 S * 1/1997 Cheng D16/321
D378,097 S * 2/1997 Huang D16/326
D427,622 S * 7/2000 Conway D16/326
7,559,644 B1 * 7/2009 Lloyd 351/51
D675,665 S * 2/2013 Faber et al. D16/326
D735,797 S * 8/2015 Aquino D16/326

* cited by examiner

Primary Examiner — Raphael Barkai

(74) *Attorney, Agent, or Firm* — Mark M. Friedman

(57) **CLAIM**

The ornamental design for a part of spectacle frames, as shown and described.

DESCRIPTION

FIG. 1 is a frontal perspective view of a part of spectacle frames showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a first side view thereof;
FIG. 4 is a second side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is an enlarged particular view thereof.
The part of spectacles frames has a layer of fabric, in particular of denim fabric, fixed frontally on the support body of the frames, with raw cut edges that remain laterally visible. Since the layer of fabric is not completely embedded in the support body, it defines a touchable frontal surface on the frames.

1 Claim, 8 Drawing Sheets



FIG. 1






FIG. 2

FIG. 3



FIG. 4





FIG. 5






FIG. 6




FIG. 7




FIG. 8