



US00D751742S

(12) **United States Design Patent**
Windom et al.

(10) **Patent No.:** **US D751,742 S**
(45) **Date of Patent:** **** Mar. 15, 2016**

(54) **FLASHLIGHT**

(71) Applicant: **Coast Cutlery Co.**, Portland, OR (US)

(72) Inventors: **Gregory David Windom**, Portland, OR (US); **David C. Brands**, Portland, OR (US); **David Lewin**, Portland, OR (US); **Kam Fu Choo**, Vancouver, WA (US); **Douglas R. Hutchens**, Lake Oswego, OR (US)

(73) Assignee: **Coast Cutlery Co.**, Portland, OR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/487,118**

(22) Filed: **Apr. 4, 2014**

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/49**

(58) **Field of Classification Search**

USPC D26/37–51, 56–60, 67; 362/103–105, 362/184, 194–196, 202–206; D22/117

CPC F21L 4/00; F21L 4/022; F21L 4/025; F21L 4/027; F21L 7/00; F21L 19/00; F21V 21/084; F21V 21/0085; F21W 2111/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D411,893 S * 7/1999 Matthes D26/37
D549,860 S * 8/2007 Gustafson D26/37

(Continued)

Primary Examiner — Sandra Morris

(74) *Attorney, Agent, or Firm* — Schwabe Williamson & Wyatt

(57) **CLAIM**

We claim an ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the flashlight;

FIG. 2 is a right view of the flashlight as illustrated in FIG. 1;

FIG. 3 is a left view of the flashlight as illustrated in FIG. 1;

FIG. 4 is a top view of the flashlight as illustrated in FIG. 1;

FIG. 5 is a bottom view of the flashlight as illustrated in FIG. 1;

FIG. 6 is a front view of the flashlight as illustrated in FIG. 1;

FIG. 7 is a back view of the flashlight as illustrated in FIG. 1.

FIG. 8 is a perspective view of a second embodiment of the flashlight;

FIG. 9 is a right view of the flashlight as illustrated in FIG. 8;

FIG. 10 is a left view of the flashlight as illustrated in FIG. 8;

FIG. 11 is a top view of the flashlight as illustrated in FIG. 8;

FIG. 12 is a bottom view of the flashlight as illustrated in FIG. 8;

FIG. 13 is a front view of the flashlight as illustrated in FIG. 8;

FIG. 14 is a back view of the flashlight as illustrated in FIG. 8.

FIG. 15 is a perspective view of a third embodiment of the flashlight;

FIG. 16 is a right view of the flashlight as illustrated in FIG. 15;

FIG. 17 is a left view of the flashlight as illustrated in FIG. 15;

FIG. 18 is a top view of the flashlight as illustrated in FIG. 15;


FIG. 19 is a bottom view of the flashlight as illustrated in FIG. 15;

FIG. 20 is a front view of the flashlight as illustrated in FIG. 15; and,

FIG. 21 is a back view of the flashlight as illustrated in FIG. 15.

The broken line showing in FIGS. 7, 14 and 21 are for illustrative purposes only, and forms no part of the claimed design.

1 Claim, 18 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D590,970 S * 4/2009 Kornfeld D26/37
D592,338 S * 5/2009 Bushee D26/37
7,604,371 B2 * 10/2009 Bushee F21V 33/0076
362/205

D646,346 S * 10/2011 Rae D22/117
D647,654 S * 10/2011 Li D26/49
D664,693 S * 7/2012 Yeh D26/46
D671,249 S * 11/2012 Sheikh D26/38
D680,251 S * 4/2013 Stewart D26/49
D690,448 S * 9/2013 Yeh D26/46
* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 21




FIG. 20