



US00D751920S

(12) **United States Design Patent**
Aranda Campin et al.

(10) **Patent No.:** **US D751,920 S**
(45) **Date of Patent:** **** *Mar. 22, 2016**

(54) **PROTECTIVE SLEEVE FOR BEVERAGE CANS**

CPC B65D 17/162; B65D 2517/0014;
B67B 7/14; Y10S 220/906
See application file for complete search history.

(71) Applicant: **ARAGONESA DE DESARROLLOS E INNOVACIONES, S.L.**, Saragossa (ES)

(56) **References Cited**

(72) Inventors: **David Aranda Campin**, Saragossa (ES);
Sergio Rottier Tuneu, Saragossa (ES);
Angel Canals Sin, Saragossa (ES);
Alejo Soler-Roig Dualde, Saragossa (ES)

U.S. PATENT DOCUMENTS

3,419,181 A * 12/1968 Stec 220/258.2
D309,564 S * 7/1990 Rayner D9/435
5,139,163 A * 8/1992 Diaz 220/258.2
D365,988 S * 1/1996 Clarke, III D9/438
D371,075 S * 6/1996 Stonehouse D9/772
6,073,797 A * 6/2000 Barous 220/716
7,017,769 B1 * 3/2006 Talmon 220/258.2

(Continued)

(73) Assignee: **ARAGONESA DE DESARROLLOS E INNOVACIONES, S.L.**, Saragossa (ES)

(*) Notice: This patent is subject to a terminal disclaimer.

Primary Examiner — Robert M Spear
Assistant Examiner — Darcey E Heflin

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear LLP

(21) Appl. No.: **29/491,515**

(57) **CLAIM**

(22) Filed: **May 21, 2014**

The ornamental design for a protective sleeve for beverage cans, as shown and described.

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 29/491,481, filed on May 21, 2014, which is a continuation of application No. 14/358,829, filed as application No. PCT/ES2012/070282 on Apr. 25, 2012.

FIG. 1 is a side elevational view of a protective sleeve for beverage cans showing our new design. An opposing side elevational view, a front elevational view, and a rear elevational view are all identical thereto.

(30) **Foreign Application Priority Data**

Nov. 17, 2011 (ES) 201131191

FIG. 2 is a top front perspective view thereof, in which a top portion of the protective sleeve for beverage cans is partially detached, revealing the beverage can within; and,

(51) **LOC (10) Cl.** **09-05**

(52) **U.S. Cl.**
USPC **D9/711; D9/444**



FIG. 3 is a top rear perspective view thereof, in which a top portion of the protective sleeve for beverage cans is partially detached, revealing the beverage can within.

(58) **Field of Classification Search**

USPC D7/387, 392; D9/434-438, 440, 443,
D9/445, 447, 449, 453, 499, 711, 763, 772,
D9/773, 775; 215/253; 220/231, 268, 269

In the drawings, the dotted line in FIG. 1 depicts a line of perforation that forms part of the claim. The broken lines in FIGS. 1-3 depict environmental subject matter only that forms no part of the claim.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

D623,963 S * 9/2010 Fairchild et al. D9/772

D632,588 S * 2/2011 George D9/772

D632,589 S * 2/2011 George D9/772

D641,644 S * 7/2011 George D9/772

D671,843 S * 12/2012 Plosky et al. D9/773

D693,698 S * 11/2013 Miller, Jr. D9/772

D695,138 S * 12/2013 Ball D9/772

8,985,371 B2 * 3/2015 Zabaleta et al. 220/254.8

D732,402 S * 6/2015 Jones et al. D9/772

2012/0187126 A1 * 7/2012 Shemesh 220/266

2012/0205378 A1 * 8/2012 Forrest 220/269

2013/0200034 A1 * 8/2013 Kaanta et al. 215/253

* cited by examiner




FIG. 1




FIG. 2




FIG. 3