



US00D751931S

(12) **United States Design Patent**
Van Den Bergh et al.

(10) **Patent No.:** **US D751,931 S**
(45) **Date of Patent:** **** Mar. 22, 2016**

- (54) **SCOOP**
- (71) Applicant: **The Procter & Gamble Company,**
Cincinnati, OH (US)
- (72) Inventors: **Pieter Paul Dirk Jenny Maria Van Den Bergh,** Sint-Martens-Latem (BE); **John David Lamb,** Pewsey (GB)
- (73) Assignee: **The Procter & Gamble Company,**
Cincinnati, OH (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/498,714**
- (22) Filed: **Aug. 7, 2014**
- (51) **LOC (10) Cl.** **10-04**
- (52) **U.S. Cl.**
USPC **D10/46.2**
- (58) **Field of Classification Search**
USPC D10/46.2, 46.3, 46, 52, 60, 66, 101,
D10/103; D7/589, 300, 302, 303, 312, 316,
D7/317, 387, 397, 510, 665; D9/440, 447,
D9/452-454; D24/197, 224; 220/665;
222/566, 562, 158, 205; 141/381;
73/426-429; 422/908, 910, 912, 527,
422/556, 547; 215/17, 18, 21, 25, 45, 214,
215/277
CPC G01F 19/002; G01F 19/00; B65D 21/00;
A47G 19/00; A61J 7/00
See application file for complete search history.

- D437,192 S * 2/2001 Verherbrugghen D7/691
- D473,148 S * 4/2003 Kleckauskas D10/46.2
- D493,332 S * 7/2004 Bin D7/318
- D548,114 S * 8/2007 Sawhney D10/46.2
- D562,160 S * 2/2008 Cohen D10/46.2
- D580,798 S * 11/2008 Barber D10/46.2
- D612,752 S * 3/2010 Lee D10/46.2
- D613,134 S * 4/2010 McRorie, III et al.
- D620,817 S * 8/2010 Eide D10/46.2
- D624,341 S * 9/2010 Noren et al.
- D641,265 S * 7/2011 Tamura D10/46.2
- D641,266 S * 7/2011 Tamura D10/46.2
- D642,080 S * 7/2011 Schmitt D10/46.2
- D646,531 S * 10/2011 Murphy D7/700
- D658,827 S * 5/2012 Lipscomb et al.
- D660,186 S * 5/2012 Williams D10/46.2

(Continued)

FOREIGN PATENT DOCUMENTS

- EM 000915707-0001 5/2008
- EM 002294348-0004 9/2013

Primary Examiner — Eric Goodman
Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — John T. Dipre; Steven W. Miller


(57) **CLAIM**
The ornamental design for a scoop, as shown and described.

DESCRIPTION

FIG. 1 is a left view of one embodiment of a scoop embodying the new design;
FIG. 2 is a perspective view of the scoop shown in FIG. 1;
FIG. 3 is a right view of the scoop shown in FIG. 1;
FIG. 4 is a front view of the scoop shown in FIG. 1;
FIG. 5 is a back view of the scoop shown in FIG. 1;
FIG. 6 is a top view of the scoop shown in FIG. 1; and,
FIG. 7 is a bottom view of the scoop shown in FIG. 1.

1 Claim, 7 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D243,500 S * 3/1977 Cooper D10/46.2
D287,324 S * 12/1986 Schmidt D10/46.2
D426,430 S * 6/2000 Verherbrugghen D7/691



US D751,931 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D663,174 S 7/2012 Dickson
D670,141 S 11/2012 Cetera

D670,142 S 11/2012 Cetera
D670,143 S 11/2012 Cetera
D676,339 S * 2/2013 Lion D10/46.2
D688,579 S 8/2013 Marshall

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7