US00D751936S

(12) United States Design Patent

Wu et al.

(10) Patent No.: US D751,936 S
(45) Date of Patent: ** Mar. 22, 2016

(54) **DEACTIVATOR**

(71) Applicant: **Checkpoint Systems, Inc.**, Thorofare, NJ (US)

(72) Inventors: **Tao Wu**, Shanghai (CN); **Ronald Decker**, Turnersville, NJ (US); **Nimesh Shah**, Marlton, NJ (US); **Haiming Gu**, Shanghai (CN)

(73) Assignee: **CHECKPOINT SYSTEMS, INC.**, Thorofare, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/482,208**

(22) Filed: **Feb. 14, 2014**

(51) **LOC (10) Cl.** **10-06**

(52) **U.S. Cl.**
USPC **D10/104.1**

(58) **Field of Classification Search**
USPC D26/9, 10, 12, 13, 15, 16, 24, 51, 61, D26/72, 76, 80, 81, 85, 86, 88, 90, 113, 118, D26/119, 120, 122, 128, 129, 138, 143, D26/144; D13/180; D10/18, 21, 24, 25, 27, D10/28, 46, 93, 104, 106, 113, 114, 116.1, D10/121; D17/99
CPC B60Q 1/04; B60Q 1/26; F21S 8/026; F21S 8/04; F21V 29/004; F21V 21/02; F21V 21/04; F21V 29/2212; F21Y 2101/02; H05K 7/20727; H05K 7/20581; F04D 25/166; F04D 15/00; F04D 29/664; F24F 3/044; F24F 7/06; F24F 13/24
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D213,636 S * 3/1969 Burch D26/50
D243,035 S * 1/1977 Kohlenstein D26/24
4,393,725 A * 7/1983 Satterfield 73/862.41
4,635,167 A * 1/1987 Schlosser 362/85
4,862,741 A * 9/1989 Heusser 73/160
D326,235 S * 5/1992 Bastijanic et al. D10/75
5,375,038 A * 12/1994 Hardt 361/694
D378,515 S * 3/1997 Senshiki D14/353
5,908,263 A * 6/1999 Conners et al. 404/9

(Continued)

OTHER PUBLICATIONS

NFC antennas and controllers, image post date Nov. 6, 2013, site visited Jun. 27, 2015, (online), <http://www.nfcworld.com/2013/11/06/326736/nxp-adds-esd-protection-nfc-phone-antennas/?relatedpost_hit=1&relatedposts_origin=35726&relatedposts_position=0>.*

(Continued)

Primary Examiner — Kevin Rudzinski
Assistant Examiner — Sean D Lough
(74) *Attorney, Agent, or Firm* — Nelson Mullins Riley & Scarborough LLP

(57) **CLAIM**

The ornamental design for a deactivator, as shown and described.

DESCRIPTION

FIG. **1** is an isometric view of a deactivator showing a new design with a removable top cover attached;
FIG. **2** is an isometric view of the deactivator showing the new design with the removable top cover removed;
FIG. **3** is a top view of the deactivator, showing the new design with the removable top cover removed;
FIG. **4** is an isometric view of the top cover of the deactivator, showing the new design;
FIG. **5** is another isometric view of the top cover of the deactivator, showing the new design thereof; and,
FIG. **6** is a top view of the top cover of the deactivator, showing the new design thereof.
The broken lines (where present) in all FIGS. illustrate portions of the deactivator that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D412,290	S *	7/1999	Apotheloz	D10/46
D419,971	S *	2/2000	Ito et al.	D14/356
D426,785	S *	6/2000	Asai et al.	D10/75
6,232,553	B1 *	5/2001	Regen	174/64
6,310,770	B1 *	10/2001	Negishi	361/695
6,388,880	B1 *	5/2002	El-Ghobashy et al.	361/695
D492,683	S *	7/2004	Nishio et al.	D14/367
D494,160	S *	8/2004	Chen	D14/314
6,839,233	B2 *	1/2005	Cravens et al.	361/695
D507,539	S *	7/2005	Hull et al.	D13/152
6,921,247	B2 *	7/2005	Stewart et al.	415/213.1
7,070,294	B2 *	7/2006	Patti	362/153.1
D556,143	S *	11/2007	Ni	D13/152
D565,513	S *	4/2008	Biondo et al.	D13/174
D570,646	S *	6/2008	Jeon	D7/402
7,458,705	B2 *	12/2008	Chiba et al.	362/362
7,524,080	B2 *	4/2009	Tu et al.	362/183
7,597,534	B2 *	10/2009	Hopkins	415/119
D615,565	S *	5/2010	Kristiansen et al.	D15/86
7,722,212	B2 *	5/2010	Searfoss	362/231
D631,364	S *	1/2011	Da Vinci et al.	D9/600
7,880,283	B2 *	2/2011	Zhuang	257/678
D640,376	S *	6/2011	Amano et al.	D24/138
D643,130	S *	8/2011	Oonuma et al.	D24/232
D646,398	S *	10/2011	Oonuma et al.	D24/232
D651,101	S *	12/2011	Ziganek et al.	D10/46
D654,211	S *	2/2012	Melzner et al.	D26/118
D676,814	S *	2/2013	Paul	D13/152
D681,845	S *	5/2013	Matsuguma	D24/232
D692,158	S *	10/2013	Matoba et al.	D24/216
D693,763	S *	11/2013	Ray et al.	D13/108
D706,974	S *	6/2014	Nikayin et al.	D26/138
D707,386	S *	6/2014	McKenzie et al.	D26/142
D709,621	S *	7/2014	Chang et al.	D24/216
8,852,773	B2 *	10/2014	Yoon	429/72
8,861,200	B2 *	10/2014	Malmberg	361/695
D722,569	S *	2/2015	Osborne	D13/152
D722,975	S *	2/2015	Debone et al.	D13/152
D723,473	S *	3/2015	Hagarty	D13/152
2001/0007526	A1 *	7/2001	Ohkohdo et al.	362/249
2007/0044985	A1 *	3/2007	Tideback	174/50
2011/0188254	A1 *	8/2011	Burt	362/365

OTHER PUBLICATIONS

32bit Board, image post date Nov. 25, 2014, site visited Jun. 27, 2015, (online), <http://web.archive.org/web/20141125190447/http://www.cnchelicopter.com/basecam-electronics-camera-stabilizer-system-32bit-board-dual-imu-included/>.*

Barcode Scanner, image post date 2011, site visited Jun. 27, 2015, (online), <http://www.cgsdigital.com/manufacturers/z84b357/iz26be70e-barcode_scanner.html>.*

Covering Panel Single Height, image post date Feb. 7, 2013, site visited Jun. 27, 2015, (online), <http://web.archive.org/web/20130207224440/http://www.globelink.co.nz/category/products/power-distribution/distribution-boards/panel-blank-1-module/>.*

Enclosure—TinEye, image post date Sep. 9, 2010, site visited Jun. 27, 2015, (online), <https://www.tineye.com/search/afc8dadadb71832197a2e4bfab755576d1d55ffa/?pluginver=>.*

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6