



US00D752159S

(12) **United States Design Patent**  
**Anderson**

(10) **Patent No.:** **US D752,159 S**

(45) **Date of Patent:** **\*\* \*Mar. 22, 2016**

(54) **DUMBBELL**

(71) Applicant: **Karl Anderson**, Glendora, CA (US)

(72) Inventor: **Karl Anderson**, Glendora, CA (US)

(73) Assignees: **Ace Specialty, Inc.**, Rosemead, CA (US); **Grace Premier Fitness and Wellness Products, Inc.**, Vancouver, WA (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/450,343**

(22) Filed: **Mar. 17, 2013**

(51) **LOC (10) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/682**

(58) **Field of Classification Search**  
USPC ..... D21/680, 681, 682, 683, 684, 662;  
482/108

CPC .... A63B 21/072; A63B 21/065; A63B 21/06;  
A63B 21/0724; A63B 21/0726

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D315,003	S	*	2/1991	Huang	.....	D21/682
5,102,124	A	*	4/1992	Diodati	.....	482/107
D372,945	S	*	8/1996	Morgan	.....	D21/682
D382,610	S	*	8/1997	Maycock et al.	.....	D21/684
D398,676	S	*	9/1998	Marney	.....	D21/681
D481,771	S	*	11/2003	Anderson	.....	D21/682
7,553,259	B2	*	6/2009	Landfair	.....	482/49
8,047,975	B1	*	11/2011	Chen	.....	482/108

\* cited by examiner

*Primary Examiner* — Phillip S Hyder

(74) *Attorney, Agent, or Firm* — Robert A. Seldon

(57) **CLAIM**

The ornamental design for a dumbbell, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a dumbbell showing my new design, the rear view being the same;

FIG. 2 is a left side elevation view of the dumbbell of FIG. 1, the right side elevation view being a mirror image thereof, the three circular fasteners/holes at the 12 o'clock, 3 o'clock and 9 o'clock positions illustrated in broken lines forming no part of the design to be patented;

FIG. 3 is a top plan view of the dumbbell of FIG. 1;

FIG. 4 is a bottom plan view of the dumbbell of FIG. 1;

FIG. 5 is a right front oblique of the dumbbell of FIG. 1, a left front oblique view being a mirror image thereof, the three circular fasteners/holes at the 12 o'clock, 3 o'clock and 9 o'clock positions illustrated in broken lines forming no part of the design to be patented;


FIG. 6 is a front elevation view of a dumbbell of my new design with additional weight plates, the rear view being the same;


FIG. 7 is a left side elevation view of the dumbbell of FIG. 6, the right side elevation view being a mirror image thereof, the three circular fasteners/holes at the 12 o'clock, 3 o'clock and 9 o'clock positions illustrated in broken lines forming no part of the design to be patented;

FIG. 8 is a top plan view of the dumbbell of FIG. 6; and,


FIG. 9 is a right front oblique view of the dumbbell of FIG. 6, a left front oblique view being a mirror image thereof, the three circular fasteners/holes at the 12 o'clock, 3 o'clock and 9 o'clock positions illustrated in broken lines forming no part of the design to be patented.

**1 Claim, 5 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*




*FIG. 5*




*FIG. 6*



*FIG. 7*



*FIG. 8*



*FIG. 9*