

US00D752256S

(12) **United States Design Patent**
Marsh

(10) **Patent No.:** **US D752,256 S**
(45) **Date of Patent:** **** Mar. 22, 2016**

(54) **ILLUMINATION DEVICE**

(71) Applicant: **David Marsh**, Lexington, KY (US)

(72) Inventor: **David Marsh**, Lexington, KY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/487,628**

(22) Filed: **Apr. 10, 2014**

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/39**

(58) **Field of Classification Search**

USPC D26/37-51, 56-60; 362/103-104, 184,
362/194-196, 202-206; D11/40, 127-128;
D21/661
CPC F21L 4/00; F21L 4/022; F21L 4/025;
F21L 4/027; F21L 7/00; F21L 19/00; F21V
21/0885; F21V 21/084; F21W 2111/10;
F21W 2131/406

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D324,579 S * 3/1992 Crabtree, Jr. D26/39
- 5,124,892 A * 6/1992 Lambert B64D 11/00
362/103
- 5,193,896 A * 3/1993 Oberlander B62J 6/00
362/103
- D340,778 S * 10/1993 Oberlander D26/39
- D352,979 S * 11/1994 Baum D21/661
- D361,143 S * 8/1995 Helvey D26/39
- 5,653,524 A * 8/1997 Gray A44C 15/0015
362/104
- D468,463 S * 1/2003 Macklin D11/127
- D571,942 S * 6/2008 Christianson D26/39
- 7,703,937 B2 * 4/2010 Shirey A44C 9/0053
362/103
- D623,783 S * 9/2010 Christianson D26/39
- 7,972,024 B2 * 7/2011 DeLeeuw F21V 21/0885
362/103
- D672,483 S * 12/2012 Tedesco D26/39
- D676,991 S * 2/2013 Araujo D26/39
- 8,419,204 B2 * 4/2013 Hermann, II G08B 5/36
345/179

- D690,855 S * 10/2013 Araujo D26/39
- 8,550,652 B2 * 10/2013 Tseng A41D 27/085
362/104
- D699,380 S * 2/2014 Weaver D26/39
- D699,875 S * 2/2014 Christianson D26/39

* cited by examiner

Primary Examiner — Sandra Morris

(74) *Attorney, Agent, or Firm* — Bryan Cave LLP

(57) **CLAIM**

I claim the ornamental design for an illumination device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an illumination device showing the new design, wherein the illumination device is not illuminated;

FIG. 2 is a side view thereof;

FIG. 3 is an opposite side view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front view thereof;

FIG. 7 is a back view thereof;

FIG. 8 is a perspective view of an illumination device showing the new design, wherein the illumination device is in an illuminating state;


FIG. 9 is a side view of an illumination device showing the new design, in which an exemplary environment of use is shown wherein the illumination device is not illuminated;

FIG. 10 is a side view of an illumination device showing the new design, in which an exemplary environment of use is shown wherein the illumination device is in an illuminating state; and,

FIG. 11 is a side view of an illumination device showing the new design, in which an exemplary environment of use is shown wherein the illumination device is in an illuminating state and compatible with a portable electronic device.

The non-radiated broken lines shown in FIGS. 1, 3, 7, 8, 9, 10, and 11 have been included for the purpose of illustrating environmental features, structure, or both. The radiated broken lines shown in FIGS. 8, 10, and 11 indicate illumination. All broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11