



US00D752731S

(12) **United States Design Patent**  
**Ansley et al.**

(10) **Patent No.:** **US D752,731 S**  
(45) **Date of Patent:** **\*\* Mar. 29, 2016**

(54) **REMOVABLE CARTRIDGE FOR A  
DIFFUSION DEVICE**

(71) Applicant: **Prolitec Inc.**, Seattle, WA (US)

(72) Inventors: **Matthew Ansley**, Muskego, WI (US);  
**Nathan Sward**, Milwaukee, WI (US);  
**Howard Tanner**, Wauwatosa, WI (US);  
**Ryuzo Tomoi**, Tokyo (JP)

(73) Assignee: **Prolitec Inc.**, Milwaukee, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/518,938**

(22) Filed: **Feb. 27, 2015**

(51) **LOC (10) Cl.** ..... **28-99**

(52) **U.S. Cl.**  
USPC ..... **D23/366**

(58) **Field of Classification Search**  
USPC ..... D23/355–369; D28/5, 6; 261/DIG. 17,  
261/DIG. 42, DIG. 65, DIG. 88, DIG. 89;  
392/386, 390, 394, 395, 392; 239/34,  
239/44, 53, 55, 56, 326; D7/300, 300.1,  
D7/584  
CPC ..... A61L 9/00; A61L 9/02; A61L 9/03;  
A61L 9/032; A61L 9/035; A61L 9/037;  
A61L 9/04; A61L 9/12; A61L 9/22  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D75,124 S *	5/1928	Jenkins	.....	D9/545
2,775,006 A *	12/1956	Kranc	.....	A01M 1/2088 235/144 M
D205,556 S *	8/1966	Plochman, Jr.	.....	D9/505
D288,842 S *	3/1987	Kwiatkowski	.....	D23/366
D392,032 S *	3/1998	Zaragoza	.....	D23/366
D447,256 S *	8/2001	Ratia	.....	D26/9
D448,466 S *	9/2001	Zaragoza	.....	D23/366
D449,877 S *	10/2001	Delmenico	.....	D23/356
D454,190 S *	3/2002	Trocola	.....	D23/366
6,419,122 B1 *	7/2002	Chown	.....	A01M 1/2044 222/162

D509,893 S *	9/2005	Sevy	.....	D23/366
D544,084 S *	6/2007	Michaels	.....	D23/366
D581,035 S *	11/2008	Conway	.....	D23/366
D621,494 S *	8/2010	Li	.....	D23/366
D635,653 S *	4/2011	Conway	.....	D11/152
D663,404 S *	7/2012	Browder	.....	D23/366
D663,405 S *	7/2012	Browder	.....	D23/366

\* cited by examiner

*Primary Examiner* — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Seed IP Law Group PLLC


(57) **CLAIM**


The ornamental design for a removable cartridge for a diffusion device, as shown and described.

**DESCRIPTION**


FIG. 1 is an isometric view of a removable cartridge for a diffusion device showing one embodiment of our new design. FIG. 2 is an isometric view thereof from another viewpoint. FIG. 3 is a front elevational view thereof, which is the same as the rear elevational view. FIG. 4 is a right side elevational view thereof, which is the same as the left side elevational view. FIG. 5 is a top plan view thereof. FIG. 6 is a bottom plan view thereof. FIG. 7 is an isometric view of a removable cartridge for a diffusion device showing another embodiment of our new design having a translucent bottom portion. FIG. 8 is an isometric view thereof from another viewpoint. FIG. 9 is a front elevational view thereof, which is the same as the rear elevational view. FIG. 10 is a right side elevational view thereof, which is the same as the left side elevational view. FIG. 11 is a top plan view thereof; and, FIG. 12 is a bottom plan view thereof. Stippling and oblique shading lines shown in the drawings are intended to represent the approximate three-dimensional contours of the design embodiments, and are not intended to indicate surface decoration. The broken lines in the figures form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**







***FIG. 1***




***FIG. 2***




***FIG. 3***




**FIG. 4**



***FIG. 5***




***FIG. 6***




**FIG. 7**







**FIG. 8**




***FIG. 9***



***FIG. 10***



***FIG. 11***



***FIG. 12***