



US00D752970S

(12) **United States Design Patent**
Giraud et al.

(10) **Patent No.:** **US D752,970 S**
(45) **Date of Patent:** **** *Apr. 5, 2016**

(54) **CONTAINER**

(71) Applicant: **CSP Technologies, Inc.**, Auburn, AL
(US)

(72) Inventors: **Jean-Pierre Giraud**, Auburn, AL (US);
Herve Pichot, Chennevieres-sur-Marne
(FR); **Joseph Rogers**, Lafayette Hill, PA
(US); **Lee Lucas**, Opelika, AL (US)

(73) Assignee: **CSP Technologies, Inc.**, Auburn, AL
(US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/453,643**

(22) Filed: **May 1, 2013**

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/420**

(58) **Field of Classification Search**

USPC D9/414, 420–424, 435, 446–447, 449,
D9/516, 529, 575; D3/203.2, 294;
D7/589–591, 601–602, 612, 629;
D34/7–8; 215/235–237, 379, 381–382;
220/324, 660, 669, 675, 810, 831

CPC B65D 1/00; B65D 1/10; B65D 23/00;
B65D 25/00; B65D 39/00; B65D 45/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,710 S * 8/1992 Deflander D9/529
D364,344 S * 11/1995 Shaw D9/421

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Dana L Meyrow



(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a container according to the invention;
FIG. 2 is a right side elevation of the container of FIG. 1;
FIG. 3 is a front elevation of the container of FIG. 1;
FIG. 4 is a left side elevation of the container of FIG. 1;
FIG. 5 is a rear elevation of the container of FIG. 1;
FIG. 6 is a bottom plan view of the container of FIG. 1;
FIG. 7 is a top plan view of the container of FIG. 1;
FIG. 8 is a front perspective view of a second embodiment of a container according to the invention;
FIG. 9 is a right side elevation of the container of FIG. 8;
FIG. 10 is a front elevation of the container of FIG. 8;
FIG. 11 is a left side elevation of the container of FIG. 8;
FIG. 12 is a rear elevation of the container of FIG. 8;
FIG. 13 is a bottom plan view of the container of FIG. 8;
FIG. 14 is a top plan view of the container of FIG. 8;
FIG. 15 is a front perspective view of a first embodiment of a container according to the invention;
FIG. 16 is a right side elevation of the container of FIG. 15;
FIG. 17 is a front elevation of the container of FIG. 15;
FIG. 18 is a left side elevation of the container of FIG. 15;
FIG. 19 is a rear elevation of the container of FIG. 15;
FIG. 20 is a bottom plan view of the container of FIG. 15; and,
FIG. 21 is a top plan view of the container of FIG. 15.
The broken lines in the drawings define the bounds of the claim and form no part thereof.

1 Claim, 21 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D573,878 S * 7/2008 Rathbone et al. D9/420

D577,993 S * 10/2008 Zanaletti D9/424

D607,316 S * 1/2010 Verebelyi et al. D27/189

D619,425 S * 7/2010 Watkins D7/629

D636,257 S * 4/2011 Bougoulas et al. D9/420

D649,658 S * 11/2011 Belfance et al. D24/224

D674,249 S * 1/2013 Duvigneau D7/629

D679,958 S * 4/2013 Yang et al. D7/629

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21