



US00D753020S

(12) **United States Design Patent**
Monachon

(10) **Patent No.:** **US D753,020 S**

(45) **Date of Patent:** **** Apr. 5, 2016**

(54) **BUCKLE**

(71) Applicant: **OMEGA LTD.**, Biel/Bienne (CH)

(72) Inventor: **Jean-Claude Monachon**, Bevaix (CH)

(73) Assignee: **OMEGA LTD.**, Biel/Bienne (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/499,132**

(22) Filed: **Aug. 12, 2014**

(30) **Foreign Application Priority Data**

Feb. 17, 2014 (WO) DM/082 879

(51) **LOC (10) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/231**

(58) **Field of Classification Search**
USPC D11/200–201, 230–241, 218;
D2/624–640, 943, 946; 24/163 R, 164,
24/185–189, 194–199, 169–171, 173,
24/177–179, 191; 224/163; D30/152;
206/242; D3/221, 215; 119/863
CPC A44B 11/24; A44B 11/006; A44B 11/04;
A44B 11/001; A44B 99/00; A44B 11/10;
A44B 11/005; A41F 11/12; A41F 11/16;
B65D 85/12; A01K 27/001

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D242,962 S * 1/1977 Lackman D11/230
D258,700 S * 3/1981 Fletcher D11/218
4,437,598 A * 3/1984 Hull A44B 11/005
224/163
D274,289 S * 6/1984 Kuntz D11/236
D277,051 S * 1/1985 Baron D11/231
D277,052 S * 1/1985 Baron D11/231
D278,762 S * 5/1985 Texidor D11/231

D301,702 S * 6/1989 Peterson D11/230
D387,026 S * 12/1997 Barone D11/237
D571,097 S * 6/2008 Della Valle D2/946
D581,836 S * 12/2008 Bettinardi D11/231
7,617,801 B2 * 11/2009 Wang A01K 27/001
119/863
D613,201 S * 4/2010 Orr D11/231
D626,030 S * 10/2010 Valdez D11/231

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Donald J. Ranft; Kristen A. Mogavero; Colleen IP



(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a first embodiment of a top perspective view of a buckle showing my new design with a clip on the bottom of the buckle shown in a closed position;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a front view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a front perspective view with a clip on the bottom of the buckle shown in an open position; and
FIG. 9 is a rear perspective view thereof.
FIG. 10 is a top perspective view of a second embodiment of a buckle showing my new design with a clip on the bottom of the buckle shown in a closed position;
FIG. 11 is a bottom perspective view thereof;
FIG. 12 is a top view thereof;
FIG. 13 is a left side view thereof;
FIG. 14 is a right side view thereof;
FIG. 15 is a front view thereof;
FIG. 16 is a rear view thereof;
FIG. 17 is a front perspective view with a clip on the bottom of the buckle shown in an open position; and,
FIG. 18 is a rear perspective view thereof.

1 Claim, 16 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18