



US00D753020S

(12) **United States Design Patent**  
**Monachon**

(10) **Patent No.:** **US D753,020 S**

(45) **Date of Patent:** **\*\* Apr. 5, 2016**

(54) **BUCKLE**

(71) Applicant: **OMEGA LTD.**, Biel/Bienne (CH)

(72) Inventor: **Jean-Claude Monachon**, Bevaix (CH)

(73) Assignee: **OMEGA LTD.**, Biel/Bienne (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/499,132**

(22) Filed: **Aug. 12, 2014**

(30) **Foreign Application Priority Data**

Feb. 17, 2014 (WO) ..... DM/082 879

(51) **LOC (10) Cl.** ..... **02-07**

(52) **U.S. Cl.**  
USPC ..... **D11/231**

(58) **Field of Classification Search**  
USPC ..... D11/200–201, 230–241, 218;  
D2/624–640, 943, 946; 24/163 R, 164,  
24/185–189, 194–199, 169–171, 173,  
24/177–179, 191; 224/163; D30/152;  
206/242; D3/221, 215; 119/863  
CPC ..... A44B 11/24; A44B 11/006; A44B 11/04;  
A44B 11/001; A44B 99/00; A44B 11/10;  
A44B 11/005; A41F 11/12; A41F 11/16;  
B65D 85/12; A01K 27/001

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D242,962 S \* 1/1977 Lackman ..... D11/230  
D258,700 S \* 3/1981 Fletcher ..... D11/218  
4,437,598 A \* 3/1984 Hull ..... A44B 11/005  
224/163  
D274,289 S \* 6/1984 Kuntz ..... D11/236  
D277,051 S \* 1/1985 Baron ..... D11/231  
D277,052 S \* 1/1985 Baron ..... D11/231  
D278,762 S \* 5/1985 Texidor ..... D11/231

D301,702 S \* 6/1989 Peterson ..... D11/230  
D387,026 S \* 12/1997 Barone ..... D11/237  
D571,097 S \* 6/2008 Della Valle ..... D2/946  
D581,836 S \* 12/2008 Bettinardi ..... D11/231  
7,617,801 B2 \* 11/2009 Wang ..... A01K 27/001  
119/863  
D613,201 S \* 4/2010 Orr ..... D11/231  
D626,030 S \* 10/2010 Valdez ..... D11/231

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Donald J. Ranft; Kristen A. Mogavero; Colleen IP



(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

**DESCRIPTION**

FIG. 1 is a first embodiment of a top perspective view of a buckle showing my new design with a clip on the bottom of the buckle shown in a closed position;  
FIG. 2 is a bottom perspective view thereof;  
FIG. 3 is a top view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a front view thereof;  
FIG. 7 is a rear view thereof;  
FIG. 8 is a front perspective view with a clip on the bottom of the buckle shown in an open position; and  
FIG. 9 is a rear perspective view thereof.  
FIG. 10 is a top perspective view of a second embodiment of a buckle showing my new design with a clip on the bottom of the buckle shown in a closed position;  
FIG. 11 is a bottom perspective view thereof;  
FIG. 12 is a top view thereof;  
FIG. 13 is a left side view thereof;  
FIG. 14 is a right side view thereof;  
FIG. 15 is a front view thereof;  
FIG. 16 is a rear view thereof;  
FIG. 17 is a front perspective view with a clip on the bottom of the buckle shown in an open position; and,  
FIG. 18 is a rear perspective view thereof.

**1 Claim, 16 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17






FIG. 18