



US00D753128S

(12) **United States Design Patent**
Anderson

(10) **Patent No.:** **US D753,128 S**
(45) **Date of Patent:** **** Apr. 5, 2016**

(54) **SWIVEL MOUNT**

(71) Applicant: **Southco, Inc.**, Concordville, PA (US)

(72) Inventor: **Glenn Eric Anderson**, Malvern, PA (US)

(73) Assignee: **Southco, Inc.**, Concordville, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/523,820**

(22) Filed: **Apr. 14, 2015**

Related U.S. Application Data

(63) Continuation of application No. 29/440,879, filed on Dec. 28, 2012, now Pat. No. Des. 729,814.

(51) **LOC (10) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D14/452**

(58) **Field of Classification Search**

USPC D14/371–382, 125–129, 336, 337, 448,
D14/450–452, 492, 335, 447, 239; 341/12;
345/104, 156, 168, 173; 348/180, 184,
348/325, 739, 825; 349/1, 2, 11, 62;
361/679.02, 679.04–679.07, 679.09,
361/679.21, 679.22, 679.26, 679.3;
D8/349, 354, 363, 373, 376, 380;
248/519, 534, 541, 58, 125.8, 127,
248/131, 133, 139, 176.1, 176.3, 188.5,
248/279.1, 333, 917–924; 379/454, 455;
312/223.3

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D530,333 S * 10/2006 Richter D14/251
D545,826 S * 7/2007 Richter D14/251
D554,137 S 10/2007 Richter
D557,126 S 12/2007 Worrall
D558,560 S * 1/2008 Ciungan D14/452
D562,114 S 2/2008 Chiu

D563,774 S 3/2008 Wohlford
D565,938 S 4/2008 Massoumi
D576,633 S 9/2008 Muday
D599,355 S * 9/2009 Richter D14/253
D602,024 S * 10/2009 Richter D14/253
D602,025 S * 10/2009 Richter D14/253
D602,342 S * 10/2009 Brassard D14/452
D619,586 S * 7/2010 Richter D14/253
D619,587 S * 7/2010 Richter D14/253
D620,943 S 8/2010 Grey
D631,052 S * 1/2011 Hung D14/452
D638,023 S 5/2011 Skull
D646,685 S 10/2011 Skull
D650,372 S 12/2011 Molter
D655,284 S 3/2012 Richter
D660,845 S * 5/2012 Schmauch D14/452
D662,103 S 6/2012 Brandt
D677,263 S 3/2013 Luijben
D679,281 S 4/2013 Kaluza
D682,258 S * 5/2013 Anderson D14/239
D695,732 S * 12/2013 Baumann D14/253
RE44,740 E 2/2014 Ciungan
D708,603 S 7/2014 Kim
D712,394 S 9/2014 Booth
D718,297 S 11/2014 Aspinall
D718,298 S 11/2014 Aspinall
D729,814 S * 5/2015 Anderson D14/452
2005/0236536 A1 10/2005 Fan

OTHER PUBLICATIONS

Korean Office Action, dated Apr. 24, 2014, corresponding to counterpart Korean Design Registration No. 30-2013-0033355.

Korean Office Action, dated Apr. 24, 2014, corresponding to counterpart Korean Design Registration No. 30-2013-0033356.

Korean Office Action, dated Apr. 24, 2014, corresponding to counterpart Korean Design Registration No. 30-2013-0033357.

* cited by examiner

Primary Examiner — Deanna L Pratt

Assistant Examiner — Katie Mroczka

(74) *Attorney, Agent, or Firm* — RatnerPrestia

(57) **CLAIM**

The ornamental design for a swivel mount, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view taken from the top right corner of a swivel mount;




FIG. 2 is a rear perspective view taken from the bottom left corner of the swivel mount of FIG. 1;
 FIG. 3 is a front elevation view of the swivel mount of FIG. 1;
 FIG. 4 is an elevation view as viewed from the right side of the swivel mount of FIG. 1;
 FIG. 5 is an elevation view as viewed from the left side of the swivel mount of FIG. 1;
 FIG. 6 is a top plan view of the swivel mount of FIG. 1;
 FIG. 7 is a bottom plan view of the swivel mount of FIG. 1;
 FIG. 8 is a front perspective view taken from the top right corner of the swivel mount of FIG. 1, wherein a mounting portion of the swivel mount is shown in a pivoted configuration;
 FIG. 9 is a rear perspective view taken from the top right corner of the pivoted swivel mount of FIG. 8;
 FIG. 10 is a rear perspective view taken from the bottom left corner of the pivoted swivel mount of FIG. 8;
 FIG. 11 is a front elevation view of the pivoted swivel mount of FIG. 8;
 FIG. 12 is a rear elevation view of the pivoted swivel mount of FIG. 8;
 FIG. 13 is an elevation view as viewed from the right side of the pivoted swivel mount of FIG. 8;
 FIG. 14 is an elevation view as viewed from the left side of the pivoted swivel mount of FIG. 8;

FIG. 15 is a top plan view of the pivoted swivel mount of FIG. 8;
 FIG. 16 is a bottom plan view of the pivoted swivel mount of FIG. 8;
 FIG. 17 is a front perspective view taken from the top right corner of the swivel mount of FIGS. 1 and 8, wherein both the mounting portion of the swivel mount and a base portion of the swivel mount are shown in pivoted configurations;
 FIG. 18 is a front elevation view of the pivoted swivel mount of FIG. 17;
 FIG. 19 is a rear elevation view of the pivoted swivel mount of FIG. 17;
 FIG. 20 is an elevation view as viewed from the right side of the pivoted swivel mount of FIG. 17;
 FIG. 21 is an elevation view as viewed from the left side of the pivoted swivel mount of FIG. 17;
 FIG. 22 is a top plan view of the pivoted swivel mount of FIG. 17; and,
 FIG. 23 is a bottom plan view of the pivoted swivel mount of FIG. 17.
 The dot-dash-type broken lines shown in the drawing views define the boundaries of the claimed design and form no part thereof. The dash-dash-type broken lines shown in the drawing views are for the purpose of illustrating portions of the swivel mount that form no part of the claimed design.

1 Claim, 23 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23