



US00D753270S

(12) **United States Design Patent**
Coronado

(10) **Patent No.:** **US D753,270 S**

(45) **Date of Patent:** **** Apr. 5, 2016**

(54) **ELBOW PIECE WITH DRAINAGE BRANCH AND FLEXIBLE HOSE**

(71) Applicant: **Coflex S.A. de C.V.**, Monterrey, Nuevo Leon (MX)

(72) Inventor: **Eduardo Coronado**, San Pedro Garza Garcia (MX)

(73) Assignee: **COFLEX S.A. DE C.V.** (MX)

(**) Term: **14 Years**

(21) Appl. No.: **29/514,298**

(22) Filed: **Jan. 9, 2015**

(51) **LOC (10) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/262**

(58) **Field of Classification Search**
USPC D23/209, 233, 235, 238, 249, 253, 254, D23/257, 259-269, 303, 304, 308; D12/197; D9/435
CPC B01D 35/04; B01D 29/13; B01D 29/19; B01D 36/006; B01D 2201/295; B01D 2201/304; F02M 37/221; A47K 3/28; A47K 3/30; A47K 3/281; A47K 3/283; E03C 1/20; E03C 1/26; E03C 1/28; E03C 1/122; E03C 1/262; E03C 1/292; E03F 5/02; E03F 5/04; F16L 37/252; F16L 41/007; F16L 43/008; F16L 55/07; F16L 25/0036; B08B 9/032
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,911,001 A * 11/1959 Fuller B08B 9/032 137/362
4,165,110 A * 8/1979 Itzler F16L 27/11 138/121
4,722,556 A * 2/1988 Todd F16L 25/0036 285/12
4,796,926 A * 1/1989 Rapsilver F16L 35/005 141/311 R

D443,863 S * 6/2001 Maccarone D13/155
D456,494 S * 4/2002 Whitfield D23/259
D636,468 S * 4/2011 Ball D23/262
D674,883 S * 1/2013 Ball D23/266
2008/0196161 A1* 8/2008 Ball E03C 1/232 4/680

(Continued)

Primary Examiner — George D Kirschbaum

Assistant Examiner — Amy Wierenga

(74) *Attorney, Agent, or Firm* — Baker & McKenzie LLP

(57) **CLAIM**



The ornamental design for an elbow piece with drainage branch and flexible hose, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an elbow piece with drainage branch and flexible hose that is unattached, shown in exemplary attachment to a second hose and elbow, in accordance with my design;
FIG. 2 is a front view of FIG. 1;
FIG. 3 is a back view of FIG. 1;
FIG. 4 is a top view of FIG. 1;
FIG. 5 is a bottom view of FIG. 1;
FIG. 6 is a perspective view thereof with the flexible hose in an attached configuration, shown in exemplary attachment to a second hose and elbow;
FIG. 7 is a front view of FIG. 6;
FIG. 8 is a back view of FIG. 6;
FIG. 9 is a top view of FIG. 6;
FIG. 10 is a bottom view of FIG. 6;
FIG. 11 is a perspective view thereof with the flexible hose in an attached configuration, shown in an exemplary attachment to a second hose;
FIG. 12 is a front view of FIG. 11;
FIG. 13 is a back view of FIG. 11;
FIG. 14 is a top view of FIG. 11; and,
FIG. 15 is a bottom view of FIG. 11.

The broken lines in the drawings depict environmental subject matter and form no part of the claim.

1 Claim, 15 Drawing Sheets



US D753,270 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0024120 A1*	2/2010	Coronado	E03C 1/20 4/679
2013/0334810 A1*	12/2013	Crary	F16L 25/0036 285/31
2014/0331404 A1*	11/2014	Sumner	E03C 1/28 4/679
2015/0108752 A1*	4/2015	Rickettson	F16L 33/221 285/243
2015/0136267 A1*	5/2015	Yu	E03C 1/284 138/109

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15