



US00D753385S

(12) **United States Design Patent**  
**Stave et al.**

(10) **Patent No.:** **US D753,385 S**

(45) **Date of Patent:** **\*\* Apr. 12, 2016**

(54) **REAR BABY CARRIER**

(75) Inventors: **Synnøve Stave**, Oslo (NO); **Tore Mortvedt**, Oslo (NO)

(73) Assignee: **STOKKE AS**, Skodje (NO)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/428,542**

(22) Filed: **Jul. 31, 2012**

(30) **Foreign Application Priority Data**

Jan. 31, 2012 (NO) ..... 20120098

(51) **LOC (10) Cl.** ..... **03-99**

(52) **U.S. Cl.**  
USPC ..... **D3/213; D3/214**

(58) **Field of Classification Search**  
USPC ..... D3/213, 214, 215, 216; D29/100,  
D29/101.1, 101.2, 101.3, 101.4, 101.5;  
224/155, 158, 159, 160, 161, 264, 270,  
224/907; 119/770; 446/28  
CPC ... A47D 13/02; A47D 13/025; A47D 15/006;  
A45F 3/04; A45F 3/10; A45F 3/14; A45F  
3/26

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,409,060	B2 *	6/2002	Donine	.....	224/160
D507,102	S *	7/2005	Bergkvist et al.	.....	D3/214
7,168,600	B2 *	1/2007	Hwang	.....	224/155
8,028,871	B2 *	10/2011	Gray	.....	224/160
D649,345	S *	11/2011	Bergkvist et al.	.....	D3/214
D655,495	S *	3/2012	Sauer et al.	.....	D3/214
2002/0158094	A1 *	10/2002	Yen	.....	224/159
2005/0051582	A1 *	3/2005	Frost	.....	224/160
2005/0279785	A1 *	12/2005	Liistro et al.	.....	224/160
2007/0029356	A1 *	2/2007	Moriguchi et al.	.....	224/160
2008/0283559	A1 *	11/2008	Parness et al.	.....	224/159

2009/0101683	A1 *	4/2009	Gilboa et al.	.....	224/160
2009/0206116	A1 *	8/2009	Grant	.....	224/160
2012/0061429	A1 *	3/2012	Sauer	.....	224/160
2012/0187162	A1 *	7/2012	Bergkvist et al.	.....	224/160

\* cited by examiner

*Primary Examiner* — Martie K Holtje

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear LLP

(57) **CLAIM**

The ornamental design for a rear baby carrier, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side perspective view of a rear baby carrier showing our new design. The right side view is the mirror image thereof.

FIG. 2 is a rear elevational view thereof.

FIG. 3 is a front elevational view thereof showing the rear baby carrier in use; and,

FIG. 4 is a right side elevational view thereof showing the rear baby carrier in use.


The straight broken line in the interior of the rear baby carrier in FIG. 1 represents stitching which is part of the claimed design.


The structural features depicted by broken lines in FIGS. 1, 3, and 4 have been shown for the purpose of illustrating portions of the rear baby carrier that form no part of the claimed design.

The adult in FIGS. 3 and 4 and the child in FIG. 4, depicted by broken lines, represent environment that forms no part of the claimed design.


It is understood that the portions of the rear baby carrier not shown in the drawing or described in the specification form no part of the claimed design. In re Zahn, 617 F.2d 261, 204 USPQ 988 (CCPA 1980). Therefore, the determination of patentability is based on the design for the article shown and described.

**1 Claim, 4 Drawing Sheets**






*FIG. 1*




*FIG. 2*



*FIG. 3*





*FIG. 4*