

US00D753472S

(12)

United States Design Patent
Pan

(10)

Patent No.: **US D753,472 S**

(45)

Date of Patent: **** Apr. 12, 2016**

(54)

HOOK

(71)

Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

(72)

Inventor: **Angela L. Pan**, Woodbury, MN (US)

(73)

Assignee: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

7,992,833 B1 *

8/2011

Goodman et al.

248/298.1

D665,653 S

8/2012

Thompson

D678,041 S

3/2013

Pan

D680,804 S

4/2013

Gilboe

D680,852 S

4/2013

Gilboe

D682,014 S

5/2013

Gilboe

D697,389 S *

1/2014

Pan

D8/367

D699,097 S *

2/2014

Chung et al.

D8/354

D699,973 S

2/2014

Pan

(Continued)

(**)

Term: **14 Years**

FOREIGN PATENT DOCUMENTS

(21)

Appl. No.: **29/459,497**

CA

53120

7/1984

EM

000078886-0014

9/2003

(22)

Filed: **Jul. 1, 2013**

(Continued)

(51)

LOC (10) Cl. **08-05**

OTHER PUBLICATIONS

(52)

U.S. Cl.
USPC **D8/371**

(58)

Field of Classification Search
USPC D6/315, 320, 323, 512; D8/371, 354,
D8/373, 366, 367; 248/682, 683, 690, 692,
248/200, 205.1, 205.3
CPC . A47G 25/0607; A47G 25/0614; A47G 25/50
See application file for complete search history.

“Magneete Verwirklichen Ideen” pp. 84, 85, and 92 at <http://files.vogel.de/vogelonline/vogelonline/companyfiles/7082.pdf>.

(Continued)

(56)

References Cited

U.S. PATENT DOCUMENTS

D143,677 S

1/1946

Smith

D199,321 S

10/1964

Peterson

4,830,198 A

5/1989

Colquitt

D322,361 S

12/1991

Goodman

D327,197 S

6/1992

Belokin, Jr.

5,176,347 A *

1/1993

Rouail

248/206.2

D409,426 S

5/1999

Hampshire

D458,070 S

6/2002

Bennett

6,565,048 B1 *

5/2003

Meyer

248/58

D480,292 S

10/2003

Johansson

D502,221 S

2/2005

Chen

D532,234 S

11/2006

Snell

D584,939 S *

1/2009

Snell

D8/367

D632,950 S

2/2011

McGreevy

D641,228 S

7/2011

Qiblawi

(57)

CLAIM
The ornamental design for a hook, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the new design for a hook;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof, a left side view being a mirror image thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.

1 Claim, 1 Drawing Sheet

(56)

References Cited

U.S. PATENT DOCUMENTS

D700,828 S * 3/2014 Goodman et al. D8/367
D705,542 S * 5/2014 Holt et al. D3/318
2001/0002689 A1* 6/2001 Shelton et al. 248/65
2014/0319295 A1* 10/2014 Serebryakov 248/200
2015/0083873 A1* 3/2015 Garpow 248/205.3

FOREIGN PATENT DOCUMENTS

EM 000078886-0015 9/2003
EM 000098694-0017 11/2003
EM DM/082799 2/2014
JP 529952 2/1980
JP 673470 3/1986
JP 1337440 8/2008

JP D1337440 8/2008
JP D1467187 4/2013
TW D132730 1/2010
TW D145464 2/2012

OTHER PUBLICATIONS

Search Report for Design Patent Application, ROC (Taiwan) Design Patent Application No. 102308522 (translation), 1 page.
First Sign Display Space Promotion No. 3, Aug. 9, 2002, P223 (JPO Reference No. HC14036718).
MagnetevewirklichenIdeen3, Mar. 23, 1993, P82 (JPO Reference No. HD05014551).
Metal Fixtures for General Purpose for House Space, Mar. 5, 2014, P6, XL-SF-115-S, XLSF-11 (JPO Reference No. HC25021917).

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6