



US00D753621S

(12) **United States Design Patent**
Boucquey et al.

(10) **Patent No.:** **US D753,621 S**

(45) **Date of Patent:** **** Apr. 12, 2016**

(54) **COMMUNICATION DEVICE**

(71) Applicant: **MOTOROLA MOBILITY LLC**,
Chicago, IL (US)

(72) Inventors: **Thomas D Boucquey**, Chicago, IL (US);
Ruben D Castano, Glenview, IL (US);
Ricardo Flores Meneses, Chicago, IL
(US); **Mark D Zaveson**, Antioch, IL
(US)

(73) Assignee: **Motorola Mobility LLC**, Chicago, IL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/485,401**

(22) Filed: **Mar. 19, 2014**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/138 G**

(58) **Field of Classification Search**
USPC D14/138 G, 138 AC, 138 AD, 138 R,
D14/203.1, 203.3, 203.5, 203.7, 218, 248,
D14/257, 250, 341, 441, 443, 496;
D21/329, 331; D13/168; D11/94;
D10/65, 70, 78; D9/711, 415;
455/556.1, 556.2, 575.1, 575.3, 575.4,
455/566; 379/433.01, 433.04; 361/679.3,
361/679.56; 273/457
CPC H04M 1/02; H04M 1/0202; H04M
1/0202-1/035; H04M 1/0235; H04M 1/0237;
H04M 1/0239; H04M 2250/22
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D622,692 S 8/2010 McWilliam et al.
D638,814 S * 5/2011 Sutherland D14/138 G
D639,261 S * 6/2011 Garnham D14/138 G

D640,219 S * 6/2011 Sutherland D14/138 G
D640,663 S * 6/2011 Arnholt D14/138 G
D652,815 S * 1/2012 Wong D14/138 G
D657,332 S 4/2012 Veiga et al.
D664,517 S 7/2012 Sutherland et al.
D672,739 S * 12/2012 Sin D14/138 G
D673,131 S * 12/2012 Sugiyama D14/138 G
D675,181 S 1/2013 Morgenroth et al.
D676,818 S 2/2013 Park et al.

(Continued)

OTHER PUBLICATIONS

Ye Xu, et al. "Communication Device", U.S. Appl. No. 29/366,531,
filed Jul. 27, 2010.

(Continued)

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Sanjeev Paul

(57) **CLAIM**


The ornamental design for a communication device, as shown
and described.

DESCRIPTION

FIG. 1 is a front perspective view of an embodiment of an
ornamental design for a communication device;
FIG. 2 is a rear perspective view of the embodiment thereof;
FIG. 3 is a front view of the embodiment thereof;
FIG. 4 is a rear view of the embodiment thereof;
FIG. 5 is a first side view of the embodiment thereof;
FIG. 6 is a second side view of the embodiment thereof;
FIG. 7 is a top view of the embodiment thereof; and,
FIG. 8 is a bottom view of the embodiment thereof.

The broken lines shown in FIGS. 1-8, that are immediately
adjacent to the shaded areas, and defined unshaded regions,
represent the bounds of the embodiment, while all other broken
lines are directed to environment and are for illustrative
purposes only; the broken lines form no part of the embodi-
ment.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D677,641 S 3/2013 Sutherland et al.
 D681,578 S * 5/2013 Park D14/138 G
 D681,584 S * 5/2013 Sung D14/138 G
 D687,002 S * 7/2013 Song D14/138 G
 D687,406 S 8/2013 Xia et al.
 D696,217 S * 12/2013 Luo D14/138 G
 D697,886 S * 1/2014 Choi D14/138 G
 D697,889 S * 1/2014 Ahn D14/138 G
 D698,326 S * 1/2014 Choi D14/138 G
 D698,782 S * 2/2014 Hong D14/138 G
 D700,163 S * 2/2014 Huang D14/138 G
 D712,861 S * 9/2014 Fujimura D14/138 G
 D712,863 S * 9/2014 Kang D14/138 G
 D721,346 S * 1/2015 Lee D14/138 G
 D721,668 S * 1/2015 Fujimura D14/138 G
 D724,045 S * 3/2015 Fujimura D14/138 G
 D725,069 S * 3/2015 Choe D14/138 G
 D728,543 S * 5/2015 Chung D14/248
 D728,544 S * 5/2015 Chung D14/138 G
 D734,285 S * 7/2015 Park D14/138 G
 D736,736 S * 8/2015 Lee D14/138 G
 D736,737 S * 8/2015 Lee D14/138 G
 D736,754 S * 8/2015 Morgenroth D14/248
 D737,239 S * 8/2015 Lee D14/138 G
 D737,815 S * 9/2015 Finney D14/138 G
 D738,841 S * 9/2015 Kim D14/138 G
 2015/0205334 A1 * 7/2015 Chuang G06F 1/203
 361/679.3

OTHER PUBLICATIONS

Cheol Woo Park, "Communication Device" U.S. Appl. No. 29/425,020, filed Jun. 19, 2012.

Ting-Bo Chen, et al. "Communication Device", U.S. Appl. No. 29/433,055, filed Sep. 25, 2012.
 Wei Zhang, et al, "Communication Device", U.S. Appl. No. 29/405,613, filed Nov. 3, 2011.
 Vincent Kenya Shyu, et al. "Communication Device", U.S. Appl. No. 29/422,009, filed Mar. 15, 2012.
 Toshihiro Fujimura, et al "Communication Device", U.S. Appl. No. 29/435,268, filed Oct. 22, 2012.
 Toshihiro Fujimura, et al "Communication Device", U.S. Appl. No. 29/441,082, filed Dec. 31, 2012.
 Toshihiro Fujimura, et al "Communication Device", U.S. Appl. No. 29/441,083, filed Dec. 31, 2012.
 Toshihiro Fujimura, et al "Communication Device", U.S. Appl. No. 29/441,085, filed Dec. 31, 2012.
 Toshihiro Fujimura, et al "Communication Device", U.S. Appl. No. 29/441,086, filed Dec. 31, 2012.
 Toshihiro Fujimura, et al "Elements for a Communication Device", U.S. Appl. No. 29/441,088, filed Dec. 31, 2012.
 Toshihiro Fujimura, et al "Communication Device", U.S. Appl. No. 29/441,090, filed Dec. 31, 2012.
 Katherine C. Morgenroth, et al, "Rear Housing for a Communication Device", U.S. Appl. No. 29/462,335, filed Aug. 1, 2013.
 Sang Soo Park, et al, "Communication Device", U.S. Appl. No. 29/468,533, filed Oct. 1, 2013.
 Sang Soo Park, et al., "Rear Door for a Communication Device", U.S. Appl. No. 29/468,579, filed Oct. 1, 2013.
 Xinrui Jiang, et al, "Flip Cover Door for a Communication Device", U.S. Appl. No. 29/470,464, filed Oct. 22, 2013.
 Mark David Finney, et al, "Communication Device", U.S. Appl. No. 29/478,446, filed Jan. 6, 2014.
 Xinrui Jiang, et al, "Cover for a Communication Device", U.S. Appl. No. 29/483,459, filed Feb. 28, 2014.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8