



US00D753639S

(12) **United States Design Patent**
Marzynski et al.

(10) **Patent No.:** **US D753,639 S**
(45) **Date of Patent:** **** Apr. 12, 2016**

- (54) **WIRELESS COMMUNICATION DEVICE**
- (71) Applicant: **Fluke Corporation**, Everett, WA (US)
- (72) Inventors: **Matthew B. Marzynski**, Seattle, WA (US); **Paul A. Richer**, Everett, WA (US)
- (73) Assignee: **Fluke Corporation**, Everett, WA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/495,757**
- (22) Filed: **Jul. 3, 2014**

D651,993 S	1/2012	Cheng	
D656,126 S	3/2012	Choi	
D660,839 S	5/2012	Govindasamy	
D686,198 S	7/2013	Lewis	
D686,201 S	7/2013	Lee	
D692,884 S	11/2013	Kim	
D694,233 S	11/2013	Hoofnagle	
D705,201 S *	5/2014	Isaacs et al.	D14/240
D711,359 S *	8/2014	Marzynski et al.	D14/240
D720,347 S *	12/2014	Lo	D14/348
D724,583 S *	3/2015	Ge	D14/358
D729,216 S *	5/2015	Peng et al.	D14/240
D730,880 S *	6/2015	Nagata et al.	D14/240
D730,893 S *	6/2015	Yin et al.	D14/358
D731,470 S *	6/2015	Terasawa	D14/240

* cited by examiner

Related U.S. Application Data

- (62) Division of application No. 29/433,409, filed on Sep. 28, 2012, now Pat. No. Des. 711,359.
- (51) **LOC (10) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/240**
- (58) **Field of Classification Search**
USPC D14/242, 240, 357, 358, 140-140.9, D14/155, 137, 139, 243, 348, 349, 351, 354, D14/355; 375/222; 455/557; 725/111
CPC H04L 12/00; H03K 17/00; H04W 88/00; H04W 88/005; H04W 88/02; H04W 88/08; H04W 88/085; H04W 88/10; H04W 88/12; H04W 88/14; H04B 1/38
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

D408,823 S	4/1999	Kirby
D577,713 S	9/2008	Kim
D585,060 S	1/2009	Han
D609,221 S	2/2010	Kim
D644,221 S	8/2011	Kemery
D650,377 S	12/2011	Akana

Primary Examiner — Bridget L Eland

(74) *Attorney, Agent, or Firm* — Seed IP Law Group PLLC

(57) **CLAIM**



The ornamental design for a wireless communication device, as shown and described.

DESCRIPTION

FIG. 1 is a top front right perspective view of a wireless communication device showing our new design; FIG. 2 is a front elevation view of the design of FIG. 1; FIG. 3 is a rear elevation view of the design of FIG. 1; FIG. 4 is a top plan view of the design of FIG. 1; FIG. 5 is a bottom plan view of the design of FIG. 1; FIG. 6 is a left side elevation view of the design of FIG. 1; FIG. 7 is a right side elevation view of the design of FIG. 1; and, FIG. 8 is a lower rear right perspective view of the design of FIG. 1.

The dot-dash broken lines and the broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment; the broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.



Fig. 6.




Fig. 7.




Fig. 8.