



US00D753833S

(12) **United States Design Patent**
Ruffini et al.

(10) **Patent No.:** **US D753,833 S**
(45) **Date of Patent:** **** Apr. 12, 2016**

- (54) **ELECTRODE CAP**
- (71) Applicant: **NEUROELECTRICS BARCELONA, S.L.**, Barcelona (ES)
- (72) Inventors: **Giulio Ruffini**, Barcelona (ES); **Guillem Mitja**, Barcelona (ES); **Stephen Dunne**, Barcelona (ES)
- (73) Assignee: **NEUROELECTRICS BARCELONA S.L.** (ES)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/490,341**
- (22) Filed: **May 8, 2014**

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/440,814, filed on Dec. 27, 2012, now abandoned.
- (51) **LOC (10) Cl.** **24-01**
- (52) **U.S. Cl.**
USPC **D24/187**; D2/865
- (58) **Field of Classification Search**
USPC D13/182, 199; D29/102, 103, 106; D2/865, 866, 867, 878, 880, 881; 2/171, 171.2, 172, 204, 209.13; D24/110.1, 110.3, 187, 190, 191, 200, D24/168, 206, 207, 215; 128/857; 600/382, 600/383, 384, 386; 607/54, 59, 60, 62, 72, 607/73, 74
CPC A42B 1/04; A42B 1/041; A42B 1/043; A42B 1/045; A42B 1/046; A42B 1/048; A42B 1/06; A42B 1/061; A42B 1/12; A42B 1/20; A42B 1/201; A42B 1/24; A42B 1/242; A61B 5/0408; A61B 5/04082; A61B 5/04085; A61B 5/04087; A61B 5/0416; A61B 5/042; A61B 5/683; A61B 5/6831; A61B 5/6813; A61B 5/6814; A61B 5/68; A61B 5/6801; A61B 5/6802; A61B 5/6803; A61N 1/18; A61N 1/20; A61N 1/0526; A61N 1/0529; A61N 1/0531; A61N 1/0534; A61N 2005/0647

See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- 3,998,213 A * 12/1976 Price A61B 5/0424 600/383
- 4,632,122 A * 12/1986 Johansson A61B 5/04026 600/383
- 5,800,351 A * 9/1998 Mann A61B 5/0478 600/383
- 6,161,030 A * 12/2000 Levendowski A61B 5/0478 600/383
- 6,574,513 B1 * 6/2003 Collura A61B 5/6803 600/153
- 6,708,051 B1 * 3/2004 Durousseau A61B 5/0478 600/383
- D560,809 S * 1/2008 Causevic D24/187
- D565,735 S * 4/2008 Washbon D24/187
- 7,551,952 B2 * 6/2009 Gevins A61B 5/0478 600/383
- 8,103,328 B2 * 1/2012 Turner A61B 5/0478 600/383
- 8,326,396 B2 * 12/2012 Picht A61B 5/0478 600/383

(Continued)


Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Hess Patent Law Firm LLC; Robert J. Hess

(57) **CLAIM**
An ornamental design for an electrode cap, as shown and described.

DESCRIPTION

FIG. 1 is a front, right side, top isometric view of an electrode cap showing our new design;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a rear elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom, rear isometric view thereof.
The broken lines shown in the drawings represent portions of the electrode cap that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,364,238 B2 *	1/2013	Fadem	A61B 5/0478 600/383	2005/0107716 A1 *	5/2005	Eaton	A61B 5/0073 600/544
8,428,681 B2 *	4/2013	Wilson	A61B 5/0408 600/382	2007/0093706 A1 *	4/2007	Gevins	A61B 5/0478 600/383
D681,571 S *	5/2013	Omori	D13/182	2007/0106169 A1 *	5/2007	Fadem	A61B 5/04845 600/544
D681,572 S *	5/2013	Omori	D13/182	2007/0191727 A1 *	8/2007	Fadem	A61B 5/0002 600/544
8,463,354 B2 *	6/2013	Fadem	A61B 5/0484 600/383	2010/0125190 A1 *	5/2010	Fadem	A61B 5/0478 600/383

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7