



US00D753858S

(12) **United States Design Patent**
Ototsuki

(10) **Patent No.:** **US D753,858 S**

(45) **Date of Patent:** **** Apr. 12, 2016**

(54) **HELMET-MOUNTED LIGHT**

(71) Applicant: **SUMITA OPTICAL GLASS, INC.**,
Saitama-shi, Saitama-ken (JP)

(72) Inventor: **Eiji Ototsuki**, Saitama (JP)

(73) Assignee: **SUMITA OPTICAL GLASS, INC.**,
Saitama (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/506,739**

(22) Filed: **Oct. 20, 2014**

(30) **Foreign Application Priority Data**

Apr. 18, 2014 (JP) 2014-008600

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/39**

(58) **Field of Classification Search**
USPC D26/37-50; 362/171-174, 183-208
CPC F21V 33/00; F21V 14/025; F21V 21/406;
F21Y 2101/02; F21L 17/00; F21L 13/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D412,761 S * 8/1999 Oki D26/39
D424,239 S * 5/2000 Key D28/18

OTHER PUBLICATIONS

The Coleman Company, Inc., Model No. 2000006659.
Feb. 24, 2015 Official Decision to Grant issued in Japanese Design
Application No. 2014-008600.

* cited by examiner

Primary Examiner — Marcus Jackson
(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**

The ornamental design for a helmet-mounted light, as shown
and described.

DESCRIPTION

FIG. 1 is a front elevational view of the helmet-mounted light;
FIG. 2 is a right-side elevational view thereof;
FIG. 3 is a left-side elevational view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front, bottom perspective view thereof; and,
FIG. 6 is a reference view showing the helmet-mounted light
attached to a helmet.

The dot-dash chain line indicates a boundary of the claimed
subject matter and forms no part of the claim design. The
broken lines depict environmental subject matter only and
form no part of the claimed design.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

