



US00D753897S

(12) **United States Design Patent**
Yoo

(10) **Patent No.:** **US D753,897 S**
(45) **Date of Patent:** **** Apr. 19, 2016**

- (54) **EXERCISE TIGHT**
- (71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)
- (72) Inventor: **James Yoo**, Beaverton, OR (US)
- (73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/524,232**
- (22) Filed: **Apr. 17, 2015**
- (51) **LOC (10) Cl.** **02-02**
- (52) **U.S. Cl.**
USPC **D2/742**
- (58) **Field of Classification Search**
USPC D2/712–713, 731–732, 737–738,
D2/742–745, 747, 749, 854, 861–864;
D29/101.5; 2/22–24, 62, 80–83, 401,
2/227, 229–230, 234–238, 247, 919
CPC A63B 71/1225; A41D 13/012; A41D
13/065; A41D 13/0017; A41D 1/06; A41D
1/08; A41D 1/086; A41D 7/00; F41H 1/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D339,902 S * 10/1993 Doherty D2/738
- D348,973 S * 7/1994 Stewart D2/731
- D413,008 S * 8/1999 Fujii D2/731
- D424,280 S * 5/2000 Fujii D2/731
- D427,750 S * 7/2000 Fujii D2/731
- D466,676 S * 12/2002 Lyden D2/742
- D483,551 S * 12/2003 Kallen D2/742
- D495,469 S * 9/2004 Hujii D2/742
- D504,553 S * 5/2005 Ota D2/731
- D512,812 S * 12/2005 Ota D2/731
- D513,830 S * 1/2006 Ota D2/731
- D532,958 S * 12/2006 Kent D2/742
- D541,009 S * 4/2007 Ota D2/731
- 7,500,274 B1 * 3/2009 Kallen A41D 1/086
2/227
- 7,533,423 B2 * 5/2009 Rudolph A41D 1/086
2/227

- D593,728 S * 6/2009 Rance D2/738
- D622,480 S * 8/2010 Chionna D2/742
- D626,718 S * 11/2010 Turner D2/712

(Continued)

OTHER PUBLICATIONS

Nike Store. [online]. Retrieved on Feb. 2, 2016 from URL: http://store.nike.com/us/en_us/pd/pro-hypercool-endzone-3-compression-tights/pid-10301110/pgid-11186281.*

Primary Examiner — Manpreet Matharu

Assistant Examiner — Keith Wilson

(74) *Attorney, Agent, or Firm* — Shook, Hardy & Bacon L.L.P.

(57) **CLAIM**

The ornamental design for an exercise tight, as shown and described.

DESCRIPTION


FIG. 1 is a back, right perspective view of an exercise tight according to the present design;
FIG. 2 is a back view thereof;
FIG. 3 is a side view thereof; and,
FIG. 4 is a front view thereof.

The evenly spaced broken lines shown in the drawings are directed to environment, are for informational purposes only, and form no part of the claimed design.

The long and short broken lines are boundary lines, which define the bounds of the claimed design. These boundaries do not exist in reality in the article embodying the design. It is understood that the claimed design extends to these boundaries but do not include the boundaries.

The surface shading on the claimed portion is provided only to indicate the character and/or any contour or curvature of the surfaces. They do not indicate color, texture, markings that actually exist thereon, indicia, graphic representations, surface treatment, or any other ornamentation applied to the article.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D632,461 S *	2/2011	Morii	D2/742	D703,920 S *	5/2014	Tanaka	D2/738
D641,127 S *	7/2011	Zarabi	D2/701	D730,016 S *	5/2015	Murphy	D2/738
D641,539 S *	7/2011	Zarabi	D2/701	D730,621 S *	6/2015	Boyle	D2/738
D642,768 S *	8/2011	Sawle	D2/704	D731,753 S *	6/2015	Mahtani	D2/742
D646,047 S *	10/2011	Arensdorf	D2/712	D739,643 S *	9/2015	Borovicka	D2/738
D681,311 S *	5/2013	McLaren	D2/742	D741,574 S *	10/2015	Michaeloff	D2/742
D681,916 S *	5/2013	Tanaka	D2/738	9,163,906 B2 *	10/2015	Hirsch	F41H 1/02
D683,107 S *	5/2013	McLaren	D2/742	D744,196 S *	12/2015	Borovicka	D2/738
D688,032 S *	8/2013	Harte	D2/742	D746,545 S *	1/2016	Kositchiranant	D2/742
D693,989 S *	11/2013	Tanaka	D2/742	D747,592 S *	1/2016	Hammer	D2/742
D698,518 S *	2/2014	Tanaka	D2/738	2011/0314590 A1 *	12/2011	Perron	A41D 13/0017 2/227
				2016/0021942 A1 *	1/2016	Vauge-Lalanne	A41D 1/082 2/401

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4