



US00D754049S

(12) **United States Design Patent**
Valencia Pollex

(10) **Patent No.:** **US D754,049 S**
(45) **Date of Patent:** **** Apr. 19, 2016**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Andreas Valencia Pollex**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/528,379**

(22) Filed: **May 28, 2015**

(30) **Foreign Application Priority Data**

Dec. 11, 2014 (EM) 002 595 306-0005

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/209**

(58) **Field of Classification Search**
USPC D12/204-213
CPC B60B 7/00; B60B 7/02; B60B 7/04;
B60B 7/01; B60B 7/06; B60B 3/02; B60B
3/04; B60B 3/06; B60B 3/10; B60B 1/00;
B60B 1/08; B60B 1/10; B60B 1/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D432,479 S * 10/2000 Lee D12/209
D486,110 S * 2/2004 Elmitt D12/211
D503,917 S * 4/2005 Kushartanto D12/209
D505,903 S * 6/2005 Nordmann D12/209

D538,215 S * 3/2007 Laengerer D12/209
D553,067 S * 10/2007 Muzzarelli D12/211
D572,650 S * 7/2008 Scheu D12/211
D575,715 S * 8/2008 Nissl D12/209
D589,423 S * 3/2009 Juergens D12/209
D593,477 S * 6/2009 Chen D12/211
D604,220 S * 11/2009 Penano D12/209
D623,110 S * 9/2010 Juergens D12/209
D624,476 S * 9/2010 Goto D12/209
D639,717 S * 6/2011 Chung D12/211
D658,103 S * 4/2012 Choe D12/209
D667,355 S * 9/2012 Gotschke D12/209
D669,011 S * 10/2012 Chung D12/211
D670,224 S * 11/2012 Goto D12/209
D683,293 S * 5/2013 Wang D12/204
D690,248 S * 9/2013 Bildhaeuser D12/209
D694,164 S * 11/2013 Chinavare D12/209
D694,693 S * 12/2013 Behmer D12/209
D705,713 S * 5/2014 Wagener D12/209
D715,208 S * 10/2014 Grake D12/204
D729,719 S * 5/2015 Muntada Roura D12/209
D739,323 S * 9/2015 Kermelk D12/209

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP;
Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,
FIG. 2 is a front, side perspective view thereof.

1 Claim, 2 Drawing Sheets





Fig. 1



Fig. 2