US00D754058S

(12) United States Design Patent

Caron et al.

(10) Patent No.: US D754,058 S
(45) Date of Patent: ** Apr. 19, 2016

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(72) Inventors: **Arnaud Caron**, Signeulx (BE); **Pierre Bernard Raoul Brochet**, Itzig (LU); **Armand Rene Gabriel Leconte**, Bingonville (LU); **Sebastien Willy Fontaine**, Vichten (LU)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/512,335**

(22) Filed: **Dec. 18, 2014**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/563**; D12/534

(58) **Field of Classification Search**
USPC D12/533–567; 152/209.1–209.28
CPC .. B60C 1/00; B60C 11/03; B60C 2011/0348; B60C 2011/0313; B60C 2011/0362; B60C 2011/1231
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,435,366	A *	7/1995	Voigt	B60C 11/0302 152/209.18
D362,420	S	9/1995	Heinen et al.	D12/147
D379,448	S	5/1997	Graas et al.	D12/147
D379,449	S	5/1997	Graas et al.	D12/151
D379,787	S	6/1997	Maxwell et al.	D12/147
D387,714	S	12/1997	Heinen	D12/147
D429,194	S	8/2000	Heinen et al.	D12/147
D429,478	S	8/2000	Heinen et al.	D12/147
D431,800	S	10/2000	Heinen et al.	D12/147
D441,328	S	5/2001	Heinen et al.	D12/146
D441,695	S	5/2001	Heinen et al.	D12/147
D451,068	S	11/2001	Heinen et al.	D12/547
D451,868	S	12/2001	Graas et al.	D12/147
D452,198	S	12/2001	Heinen et al.	D12/146
D455,116	S	4/2002	Graas et al.	D12/533
D455,998	S	4/2002	Heinen et al.	D12/566
6,837,285	B2 *	1/2005	Eromaki	B60C 11/12 152/209.18
D504,106	S	4/2005	de Briey-Terlinden et al.	D12/553
D504,387	S	4/2005	Welbes et al.	D12/549
D504,866	S	5/2005	Collette et al.	D12/553
D505,112	S	5/2005	Heinen et al.	D12/567
D533,131	S	12/2006	Fontaine et al.	D12/588

(Continued)

Primary Examiner — Manpreet Matharu
Assistant Examiner — Aula Soroush
(74) *Attorney, Agent, or Firm* — Robert N. Lipesik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. **2** is a front elevational view thereof;
FIG. **3** is a right side elevational view thereof; the left side being a mirror image thereof;
FIG. **4** is an enlarged fragmentary front elevational view thereof;
FIG. **5** is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is a mirror image thereof; and,
FIG. **6** is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. **4**, with the exception of the inclusion of the sidewall in solid lines.
In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. **1** through **4** depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D548,677	S		8/2007	Welbes et al.	D12/553
D548,678	S		8/2007	Welbes et al.	D12/553
D551,613	S	*	9/2007	Lo	D12/564
D556,670	S		12/2007	Fontaine et al.	D12/553
D575,726	S		8/2008	Fontaine et al.	D12/564
D579,861	S		11/2008	Haas et al.	D12/553
D579,864	S		11/2008	Haas et al.	D12/566
D586,728	S		2/2009	Heinen et al.	D12/547
D589,874	S		4/2009	Fontaine et al.	D12/564
D591,221	S		4/2009	Fontaine et al.	D12/563
D591,672	S		5/2009	de Briey-Terlinden et al.	D12/553
D592,588	S		5/2009	Heinen et al.	D12/564
D595,639	S		7/2009	de Briey-Terlinden	D12/553
D595,640	S	*	7/2009	de Briey-Terlinden	D12/564
D596,109	S		7/2009	de Briey-Terlinden	D12/553
D597,475	S		8/2009	Heinen et al.	D12/553
D597,476	S		8/2009	de Briey-Terlinden	D12/553
D598,367	S		8/2009	de Briey-Terlinden	D12/553
D600,195	S		9/2009	Fontaine et al.	D12/564
D601,946	S		10/2009	Fontaine et al.	D12/553
D606,007	S		12/2009	Fontaine et al.	D12/564
D610,964	S		3/2010	Dixon et al.	D12/552
D610,973	S		3/2010	Dixon et al.	D12/600
D615,479	S	*	5/2010	Lee	D12/552
D622,657	S		8/2010	Leocadio et al.	D12/553
D635,912	S		4/2011	Knispel	D12/564
D638,350	S		5/2011	Knispel	D12/564
D640,184	S		6/2011	de Briey-Terlinden	D12/553
D640,966	S		7/2011	Fontaine et al.	D12/563
D641,305	S		7/2011	de Briey-Terlinden	D12/547
8,020,595	B2	*	9/2011	Kiwaki	B60C 11/0302 152/209.15
D662,454	S		6/2012	Fontaine et al.	D12/553
D683,301	S	*	5/2013	Kang	D12/552
D689,431	S		9/2013	Pons et al.	D12/545
D694,172	S	*	11/2013	Takei	D12/552
D702,625	S		4/2014	Leconte et al.	D12/564
D702,626	S		4/2014	de Briey-Terlinden	D12/567
D716,720	S	*	11/2014	Seng	D12/563
2004/0221936	A1	*	11/2004	Kaiser	B60C 1/00 152/209.1
2012/0103493	A1	*	5/2012	Knispel	B60C 11/0302 152/209.25
2012/0312438	A1	*	12/2012	Shinzawa	B60C 11/0302 152/209.8
2013/0118662	A1	*	5/2013	Kameda	B60C 11/03 152/209.8
2013/0153100	A1	*	6/2013	Piffard	B60C 11/11 152/209.1

* cited by examiner



FIG-1



FIG–2



FIG-3



FIG-4



FIG-5



FIG-6