



US00D754246S

(12) **United States Design Patent**
Tang

(10) **Patent No.:** **US D754,246 S**
(45) **Date of Patent:** **** Apr. 19, 2016**

(54) **VIOLIN CUSHIONING DEVICE**
(71) Applicant: **Shannon Tang**, Lexington, MA (US)
(72) Inventor: **Shannon Tang**, Lexington, MA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/492,305**
(22) Filed: **May 30, 2014**
(51) **LOC (10) Cl.** **17-03**
(52) **U.S. Cl.**
USPC **D17/20; D17/13**
(58) **Field of Classification Search**
USPC D26/2, 28, 60, 72, 89, 104, 113, 118,
D26/119, 120, 122, 124, 128, 138, 142, 143,
D26/145; D13/179, 180, 102, 103, 107,
D13/108; D10/18, 21, 24, 25, 27, 28, 46,
D10/93, 104.1, 106, 113, 114, 116.1;
D17/9, 13, 20, 22, 23, 24, 99;
D21/586; D28/7; D6/582, 583, 585,
D6/592, 595, 596, 597, 601, 602, 603, 606,
D6/608, 610, 617
CPC H01L 2224/48137; F21V 29/006;
F21Y 2101/02; F21K 9/00; H05K 7/20727;
H05K 7/20581; F04D 25/166; F04D 15/00;
F04D 29/664; F24F 3/044; F24F 7/06; F24F
7/065; F24F 13/24; G10D 13/00; G10D 3/00;
G10D 3/18; G10G 5/00; A63H 5/00; A47G
9/00; B60N 2/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D33,350 S * 10/1900 Gibbs D24/207
728,159 A * 5/1903 Burkart A61H 11/00
15/222
922,108 A * 5/1909 Dunn A47K 7/022
15/209.1
1,488,332 A * 3/1924 Foerg A47K 7/022
15/210.1

2,251,767 A * 8/1941 Steiner A47K 7/022
15/160
2,544,354 A * 3/1951 Reiter A47K 7/022
15/222
2,730,745 A * 1/1956 Norman A47K 7/03
132/312

(Continued)

OTHER PUBLICATIONS

Violin Shoulder Pad, image post date Mar. 8, 2012, site visited Feb. 6, 2016, (online), <<http://www.amazon.co.uk/Kitty-Oval-Violin-Shoulder-Pad/dp/B00757AOFC>>.*

(Continued)

Primary Examiner — Kevin Rudzinski
Assistant Examiner — Sean D Lough
(74) *Attorney, Agent, or Firm* — Daniel N. Smith



(57) **CLAIM**

The ornamental design for a violin cushioning device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the violin cushioning device showing my new design;
FIG. 2 is a top view of the violin cushioning device showing my new design;
FIG. 3 is a side view of the violin cushioning device showing my new design;
FIG. 4 is another side view of the violin cushioning device showing my new design; and,
FIG. 5 is a top perspective view of the violin cushioning device attached to the lower bout ribs, lower bout purfling edges, end pin, saddle, and tail gut of a violin showing my new design in a position of use attached to the above described environment at the base of a violin.
The broken lines depicted in FIG. 5 illustrate environment of the violin cushioning device that forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

- 2,807,815 A * 10/1957 Mack A47K 7/022
15/118
- 3,124,822 A * 3/1964 Marchese A47K 7/022
15/118
- 3,364,511 A * 1/1968 Martin A47K 7/022
15/222
- 3,860,349 A * 1/1975 Scott A47K 7/03
15/114
- 3,875,933 A * 4/1975 Schwab A61H 11/00
15/222
- 3,977,796 A * 8/1976 Gillespie A47K 7/03
15/222
- D255,459 S * 6/1980 Corder D17/10
- D263,149 S * 2/1982 Wilson 84/314 N
- D276,451 S * 11/1984 Panizzi D21/407
- 4,915,096 A * 4/1990 Winstone A61H 11/00
128/DIG. 15
- D308,882 S * 6/1990 Angerstein D17/20
- D316,941 S * 5/1991 Ruiz D6/608
- 5,013,171 A * 5/1991 Almond, II A47K 7/022
15/222
- D322,270 S * 12/1991 Concoff 84/283
- D334,019 S * 3/1993 Kun 84/280
- 5,295,280 A * 3/1994 Hudson A47K 7/022
15/222
- D363,810 S * 10/1995 Smith, Jr. D28/63
- 5,545,456 A * 8/1996 Suida A47K 7/022
15/208
- D381,545 S * 7/1997 Muttick D6/596
- D392,668 S * 3/1998 Shingler 84/322
- D393,102 S * 3/1998 Meier D28/63
- 5,736,213 A * 4/1998 Meier A45D 34/04
15/222
- D397,269 S * 8/1998 Kawamoto D21/662
- D400,561 S * 11/1998 Vargas-Phillips 84/453
- D404,755 S * 1/1999 Garbuzov 84/383 R
- D406,269 S * 3/1999 Mach D17/20
- 5,979,006 A * 11/1999 Stokes A61H 11/00
15/222
- 5,983,436 A * 11/1999 Mason A47K 7/022
15/209.1
- D418,248 S * 12/1999 Clark D28/63
- D419,818 S * 2/2000 McConnell D6/601
- 6,047,433 A * 4/2000 Chang A47K 7/022
15/222
- 6,061,857 A * 5/2000 Deneau A47C 27/144
5/495
- D433,765 S * 11/2000 Leap D26/94
- D436,984 S * 1/2001 Hansel 84/322
- 6,202,262 B1 * 3/2001 Hamburger, III A44B 11/226
224/257
- D440,355 S * 4/2001 Nati D28/63
- 6,227,742 B1 * 5/2001 Corn A47K 7/022
15/208
- 6,505,367 B2 * 1/2003 Griffin A47D 5/006
2/48
- 6,849,055 B1 * 2/2005 Williams A47K 7/022
15/208
- 6,929,612 B2 * 8/2005 Mangano A61H 1/00
601/71
- D519,281 S * 4/2006 French D3/327
- 7,064,258 B2 * 6/2006 Mea G10D 3/18
84/278
- D526,152 S * 8/2006 Scott D6/608
- D530,451 S * 10/2006 Anderson D28/59
- D533,308 S * 12/2006 Kovac D28/63
- D551,451 S * 9/2007 Nathanson D21/385
- 7,268,282 B2 * 9/2007 Nieuwkamp G10D 9/023
84/330
- D553,328 S * 10/2007 King D2/624
- D570,603 S * 6/2008 Wu D3/327
- D573,415 S * 7/2008 Van Slycke D7/622
- D574,415 S * 8/2008 Koskela D17/20
- 7,410,318 B2 * 8/2008 Chambers A45D 34/04
15/104.94
- D580,117 S * 11/2008 Shaw D32/40
- D580,167 S * 11/2008 Jones D3/267
- 7,476,789 B1 * 1/2009 Federici G10D 3/18
84/270
- D596,438 S * 7/2009 Le Gette D6/596
- D596,439 S * 7/2009 Hall D6/596
- D604,897 S * 11/2009 Ponce D28/7
- 7,671,264 B1 * 3/2010 Heda G10D 3/00
4/327
- D623,356 S * 9/2010 Lee D28/63
- D626,344 S * 11/2010 Losaw D6/315
- 7,888,572 B2 * 2/2011 Rosenberg G10G 5/005
84/327
- D649,866 S * 12/2011 Roehrig D8/349
- D654,165 S * 2/2012 Yates D24/119
- D656,276 S * 3/2012 Kurland D24/214
- D656,277 S * 3/2012 Mckee D24/214
- D664,890 S * 8/2012 Featherston D11/201
- D673,994 S * 1/2013 Geller D16/243
- D673,998 S * 1/2013 Wells D17/20
- D674,134 S * 1/2013 Carroll D27/100
- D676,627 S * 2/2013 Doss D2/624
- D685,107 S * 6/2013 Oller, Jr. D24/215
- 8,492,628 B2 * 7/2013 Ruan G10D 3/18
84/279
- 8,492,629 B2 * 7/2013 Johnson G10D 3/18
84/280
- D695,643 S * 12/2013 Wolff D11/79
- 8,600,626 B2 * 12/2013 Yamaguchi B60N 2/002
297/216.1
- D705,523 S * 5/2014 Henry D2/853
- D705,849 S * 5/2014 Bush D17/20
- D707,443 S * 6/2014 Dailey D3/218
- D711,963 S * 8/2014 Gilmore D17/20
- D713,606 S * 9/2014 Ranstead D30/153
- 8,946,532 B2 * 2/2015 Boykin G10G 7/00
2/48
- D723,304 S * 3/2015 Chang D6/601
- D726,375 S * 4/2015 Huang D28/63
- D726,391 S * 4/2015 Clark D2/502
- D728,378 S * 5/2015 Gelov D9/697
- D730,574 S * 5/2015 Long D28/7
- D737,017 S * 8/2015 Traynor D1/120
- D737,598 S * 9/2015 Garcia D6/601
- D738,644 S * 9/2015 Reynolds D6/601
- D738,645 S * 9/2015 Goetsch D6/601
- D741,963 S * 10/2015 Baumann D21/688
- D742,465 S * 11/2015 Bain D21/767
- D743,141 S * 11/2015 Kafka D2/611
- D743,480 S * 11/2015 Stevenson D17/20
- 9,190,035 B1 * 11/2015 Ranck Fields G10D 3/166
- D744,768 S * 12/2015 Morrison D6/605
- D747,898 S * 1/2016 Lovechio D6/601
- D747,899 S * 1/2016 Klein D6/601
- 9,232,867 B2 * 1/2016 Chang A47G 9/10
- 2006/0248672 A1 * 11/2006 Dussaussoy A45D 34/04
15/222
- 2008/0205962 A1 * 8/2008 Doby Wilson A47K 7/022
401/6
- 2010/0037748 A1 * 2/2010 Kim G10D 3/02
84/328
- 2013/0098381 A1 * 4/2013 McBrayer A47K 7/022
132/200
- 2014/0026292 A1 * 1/2014 Wosu A41D 23/00
2/207
- 2014/0076122 A1 * 3/2014 Toyonaga G10D 3/18
84/453
- 2014/0283863 A1 * 9/2014 Krenke A45D 34/04
132/200
- 2015/0348520 A1 * 12/2015 Tang G10D 3/18
84/279

OTHER PUBLICATIONS

Violin shoulder rest, image post date Oct. 17, 2013, site visited Feb. 6, 2016, (online), <<http://web.archive.org/web/20131017151730/http://menzel-music.com/?p=48>>.*

(56)

References Cited

OTHER PUBLICATIONS

Neck Pillow With Headrest Strap, image post date Jun. 19, 2012, site visited Feb. 5, 2016, (online), <<http://www.amazon.co.uk/Care-Apparel-Industries-Memory-Headrest/dp/B003ZJOGOE>>.*

Keychain, image post date Aug. 5, 2014, site visited Feb. 5, 2016, (online), <<https://www.etsy.com/listing/179751595/two-piece-beak-apart-brass-keychain>>.*

Outdoor Pillow, image post date 2002, site visited Feb. 5, 2016, (online), <http://www.hayneedle.com/outdoor/outdoor-pillows_hammock-pillows_list_183487_4295155312>.*

Belay Device, image post date Apr. 19, 2008, site visited Feb. 5, 2016, (online), <<https://www.tineye.com/search/4173143c0350ce1c8d4da0feca5a61fd66b50427/>>.*

Tripod strap, image post date Nov. 14, 2011, site visited Feb. 5, 2016, (online), <<http://web.archive.org/web/20111114143648/http://www.gordyscamerastraps.com/tripod/index.htm>>.*

Anti-Stress Microwavable Comfort Wrap, image post date, Nov. 30, 2011, site visited Feb. 5, 2016, (online), <<http://www.bedbathandbeyond.com/store/product/anti-stress-microwavable-comfort-wrap/1016883620>>.*

Woven heat pack, image post date Jan. 15, 2009, site visited Feb. 5, 2016, (online), <<http://www.chitown-angler.com/1fish/viewtopic.php?f=81&t=38052>>.*

Microwave heating pad, image post date May 12, 2012, site visited Feb. 5, 2016, (online), <<http://web.archive.org/web/20120512061934/http://health.thefuntimesguide.com/2011/11/microwave-heading-pad.php>>.*

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5