



US00D754469S

(12) **United States Design Patent**
Deters

(10) **Patent No.:** **US D754,469 S**
(45) **Date of Patent:** **** Apr. 26, 2016**

(54) **SPLATTER SHIELD**

(71) Applicant: **Dennis L Deters**, Spring Grove, MN
(US)

(72) Inventor: **Dennis L Deters**, Spring Grove, MN
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/507,289**

(22) Filed: **Oct. 26, 2014**

Related U.S. Application Data

(62) Division of application No. 29/437,047, filed on Nov. 12, 2012, now Pat. No. Des. 719,398.

(51) **LOC (10) Cl.** **07-02**

(52) **U.S. Cl.**
USPC **D7/391; D7/354**

(58) **Field of Classification Search**
USPC D7/323, 354-363, 368, 391-396, 409,
D7/667; D9/443

CPC A47G 19/12; A47J 27/00; A47J 27/002;
A47J 27/08; A47J 27/21; A47J 27/58; A47J
36/025; A47J 36/06; A47J 36/12; A47J 36/20;
A47J 37/00; A47J 37/10; A47J 37/101;
A47J 37/103; A47J 37/12; A47J 37/1204;
A47J 45/061; A47J 45/071; A47J 45/08;
B65D 50/041; H05B 6/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

626,808 A	6/1899	Gurney
893,805 A	7/1908	Kline
930,223 A	8/1909	Port
1,021,133 A	3/1912	Chaloud
1,345,457 A	7/1920	Olson
1,356,432 A	10/1920	Eidt
1,453,054 A	4/1923	Nordstrom

1,627,285 A	3/1926	Hubbard	
2,002,237 A *	5/1935	Esten	A47J 37/101 126/384.1
2,609,960 A	9/1952	Irwin	
2,614,484 A	10/1952	Caruso	
2,643,024 A	6/1953	Cronheim	
2,760,672 A	8/1956	Cronheim	
3,363,406 A	1/1968	Miller	
3,777,653 A	12/1973	Carruth	
4,176,591 A	12/1979	Power	
4,298,135 A	11/1981	Vossen	
D313,727 S	1/1991	Gamez	
5,579,932 A *	12/1996	Drozdz	B65D 50/041 215/201
D416,438 S *	11/1999	Molo	D7/392
6,105,811 A *	8/2000	Alfred	A47J 36/06 220/287
D485,136 S *	1/2004	Golden	D7/667
D494,427 S *	8/2004	Kaposi	D7/369
D511,457 S *	11/2005	Biesecker	D9/443
D513,462 S	1/2006	VanGilder et al.	
D538,587 S	3/2007	Settele	

(Continued)

Primary Examiner — Ricky Pham

(74) *Attorney, Agent, or Firm* — Geiser Law, PLLC; Greg N. Geiser



(57) **CLAIM**

The ornamental design for a splatter shield, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the new design of a splatter shield; FIG. 2 is a bottom view thereof; FIG. 3 is a front side view, the rear, left, and right being a mirror image thereof; FIG. 4 is a front side view with a handle of the design raised, the rear view being a mirror image thereof; and, FIG. 5 is a close up view of the center portion of the design with the handle raised thereof. The broken lines in all views are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D552,308 S *	10/2007	Farr	D30/161	8,146,484 B2	4/2012	Blichmann	
D567,597 S *	4/2008	Shamoon	D7/667	D719,398 S *	12/2014	Deters D7/354
7,717,285 B2	5/2010	Price			8,900,451 B2 *	12/2014	Cooper A47J 36/20 210/232
7,789,259 B2	9/2010	Garziera			D720,571 S *	1/2015	Deters D7/354
8,096,437 B1	1/2012	Ryan			D724,372 S *	3/2015	Deters D7/368
D655,968 S	3/2012	Lion et al.			2008/0272124 A1	11/2008	Shamoon	
D655,969 S	3/2012	Lion et al.			2008/0296303 A1	12/2008	Krent et al.	
					2009/0261102 A1	10/2009	Sparks	
					2011/0127282 A1	6/2011	Carvajal et al.	

* cited by examiner




Fig. 1




Fig. 2

Fig. 3



Fig. 4




Fig. 5