



US00D754660S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.:** **US D754,660 S**
(45) **Date of Patent:** **** Apr. 26, 2016**

- (54) **INPUT DEVICE FOR AN ELECTRONIC TABLET**
- (71) Applicant: **Microsoft Corporation**, Redmond, WA (US)
- (72) Inventors: **Young Soo Kim**, Seattle, WA (US);
Mike F. Deily, Redmond, WA (US);
James Iming Tsai, Redmond, WA (US)
- (73) Assignee: **Microsoft Corporation**, Redmond, WA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/524,411**
- (22) Filed: **Apr. 20, 2015**

(56) **References Cited**
U.S. PATENT DOCUMENTS

D319,632 S	9/1991	Heimbürger
D331,191 S	11/1992	Ventola et al.
D365,334 S	12/1995	Pearl
D386,754 S	11/1997	Gifford et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EM	000033402-0002	5/2003
EM	000983449-0002	7/2008

(Continued)

OTHER PUBLICATIONS

Office Action received in corresponding Japanese Application No. 2014-005944 issued on Jun. 30, 2014. 2 pages.

(Continued)

Related U.S. Application Data

- (62) Division of application No. 29/467,600, filed on Sep. 20, 2013, now Pat. No. Des. 731,486.
- (51) **LOC (10) Cl.** **14-02**
- (52) **U.S. Cl.**
USPC **D14/392**
- (58) **Field of Classification Search**
USPC D14/240, 138, 318, 341, 391-399, 443,
D14/455, 456; D18/1, 2, 7, 11; 178/17 A,
178/17 C; 200/5 A, 5 R, 6 A, 6 R; 235/145 A,
235/145 R; 341/20-23; 345/156, 160, 168,
345/169, 173; 361/679.08, 679.09,
361/679.11-679.19; 400/484-489, 492,
400/472
CPC G06F 1/16; G06F 1/1616; G06F 1/162;
G06F 1/1601; G06F 1/1626; G06F 3/0202;
G09B 13/04; H03M 11/00; H03K 17/94;
H05K 5/00; H01H 3/125; H01H 13/705;
B41J 5/08

See application file for complete search history.

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**


The ornamental design for an input device for an electronic tablet, as shown and described.

DESCRIPTION

FIG. 1 is a top isometric view of an input device for an electronic tablet showing the new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a front view thereof.

The broken line showing of various features of the input device for an electronic tablet in the figures is for environmental purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,793,359 A 8/1998 Ushikubo
 6,129,270 A 10/2000 Piazza
 6,312,175 B1 11/2001 Lum
 6,439,785 B1 8/2002 Liu
 D462,354 S 9/2002 Kimbre et al.
 6,882,524 B2 4/2005 Ulla et al.
 D504,889 S 5/2005 Andre et al.
 6,947,031 B2 9/2005 Sandbach et al.
 D516,080 S 2/2006 Sakamoto et al.
 D517,068 S 3/2006 Sakamoto et al.
 D517,552 S 3/2006 Sakamoto et al.
 D521,513 S 5/2006 Neal et al.
 D522,013 S 5/2006 Sakamoto et al.
 7,102,614 B2 9/2006 Sandbach et al.
 7,154,452 B2 12/2006 Nakamura et al.
 D537,831 S 3/2007 Steiner et al.
 D538,096 S 3/2007 Bartell et al.
 D538,575 S 3/2007 Bartell et al.
 D544,490 S 6/2007 O'Neil
 D544,862 S 6/2007 Amiri
 7,342,776 B1 3/2008 Chan
 D567,240 S 4/2008 Griffin
 7,440,267 B2 10/2008 Tatsukami et al.
 D584,304 S 1/2009 Lin
 D603,398 S 11/2009 Watson et al.
 D627,777 S 11/2010 Akana et al.
 D635,564 S 4/2011 Li
 D638,833 S 5/2011 Chuang
 D638,836 S 5/2011 Daniel
 D650,380 S 12/2011 Ballout
 D653,665 S 2/2012 Maruyama
 D658,186 S 4/2012 Akana et al.
 D658,187 S 4/2012 Diebel
 D658,188 S 4/2012 Diebel
 D659,139 S 5/2012 Gengler
 D663,304 S 7/2012 Akana et al.
 D669,069 S 10/2012 Akana et al.
 D669,468 S 10/2012 Akana et al.
 D670,286 S 11/2012 Akana et al.
 D671,948 S 12/2012 Akana et al.

D678,277 S 3/2013 Groene et al.
 D678,300 S 3/2013 Groene et al.
 D678,880 S 3/2013 Groene et al.
 D678,881 S 3/2013 Groene et al.
 D678,882 S 3/2013 Groene et al.
 D682,838 S 5/2013 Akana et al.
 D691,142 S 10/2013 Diebel
 D692,902 S 11/2013 Groene et al.
 D695,745 S 12/2013 Kim
 D696,262 S 12/2013 Groene et al.
 D697,512 S 1/2014 Akana et al.
 D705,227 S 5/2014 Groene et al.
 D706,270 S 6/2014 Akana et al.
 D720,748 S 1/2015 Groene et al.
 D731,486 S * 6/2015 Kim D14/392
 2002/0063691 A1 5/2002 Rogers et al.
 2005/0052831 A1 3/2005 Chen
 2006/0152898 A1 7/2006 Hirayama
 2007/0097087 A1 5/2007 Homer et al.
 2009/0159763 A1 6/2009 Kim
 2012/0140396 A1 6/2012 Zelif et al.
 2012/0147541 A1 6/2012 Chen et al.
 2012/0194448 A1 8/2012 Rothkopf

FOREIGN PATENT DOCUMENTS

EM 001911983 2/2011
 EM 001344675-0012 9/2012
 EM 001385314-0001 11/2013
 EM 001385314-0002 11/2013
 JP 1469199 5/2013
 JP 1475195 7/2013
 JP D1475197 7/2013

OTHER PUBLICATIONS

Office Action received in corresponding Japanese Application No. 2014005947 issued on Jun. 30, 2014. 2 pages.
 10016—office action.
 Nov. 6, 2014—(TW) Search Report—App 103301588—Eng Tran.
 Nov. 6, 2014—(TW)—Search Report—App 103301587—Eng Tran.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7