



US00D754794S

(12) **United States Design Patent**  
**Rademacher**

(10) **Patent No.:** **US D754,794 S**  
(45) **Date of Patent:** **\*\* Apr. 26, 2016**

(54) **MANNEQUIN**

(71) Applicant: **3B Scientific GmbH**, Hamburg (DE)

(72) Inventor: **Marcus Rademacher**, Hamburg (DE)

(73) Assignee: **3B Scientific GmbH**, Hamburg (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/479,334**

(22) Filed: **Jan. 14, 2014**

(30) **Foreign Application Priority Data**

Nov. 18, 2013 (EM) ..... 002347153-0001

Nov. 18, 2013 (EM) ..... 002347153-0002

(51) **LOC (10) Cl.** ..... **20-02**

(52) **U.S. Cl.**  
USPC ..... **D20/32**

(58) **Field of Classification Search**  
USPC ..... D20/10, 19, 29-33, 99; D11/160;  
D19/59, 62  
CPC ..... A41H 5/00; A41H 5/01; A41H 5/02;  
A47F 8/00; A63H 3/36; A63H 13/00; A63H  
13/08; A63B 69/34; G09F 19/00; G09F  
19/08; G09B 23/00; G09B 23/28; G09B  
23/288; G09B 23/34  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,871,593 A \* 2/1959 Roberts ..... 40/457  
3,769,134 A \* 10/1973 Livingston ..... 156/293  
3,801,403 A \* 4/1974 Lucek ..... 156/244.13

5,055,052 A \* 10/1991 Johnsen ..... 434/265  
5,295,835 A \* 3/1994 Scheinberg et al. .... 434/265  
5,340,350 A \* 8/1994 Fink et al. .... 446/226  
5,792,032 A \* 8/1998 Williams et al. .... 482/83  
5,971,398 A \* 10/1999 Broussard et al. .... 273/408  
6,227,864 B1 \* 5/2001 Egelanddal et al. .... 434/265  
D630,256 S \* 1/2011 Lawrimore ..... D20/32  
9,092,995 B2 \* 7/2015 Pastrick et al.  
2005/0181913 A1 \* 8/2005 Vang et al. .... 482/83

\* cited by examiner

*Primary Examiner* — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Smith, Gambrell & Russell



(57) **CLAIM**


The design for a mannequin, as shown and described.

**DESCRIPTION**


FIG. 1 is a front perspective view of a first embodiment of a mannequin;  
FIG. 2 is a first side view of the mannequin of FIG. 1;  
FIG. 3 is a second side view of the mannequin of FIG. 1;  
FIG. 4 is a front side view of the mannequin of FIG. 1;  
FIG. 5 is a rear side view of the mannequin of FIG. 1;  
FIG. 6 is a top view of the mannequin of FIG. 1;  
FIG. 7 is a bottom view of the mannequin of FIG. 1;  
FIG. 8 is a front perspective view of a second embodiment of the mannequin;  
FIG. 9 is a first side view of the mannequin of FIG. 8;  
FIG. 10 is a second side view of the mannequin of FIG. 8;  
FIG. 11 is a front side view of the mannequin of FIG. 8;  
FIG. 12 is a rear side view of the mannequin of FIG. 8;  
FIG. 13 is a top view of the mannequin of FIG. 8; and,  
FIG. 14 is a bottom view of the mannequin of FIG. 8.  
The broken lines shown in the drawings represent portions of the mannequin that form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**






**FIG. 1**



**FIG. 2**

**FIG. 3**



**FIG. 4**




FIG. 5




FIG. 6




FIG. 7






FIG. 8



**FIG. 9**



**FIG. 10**






FIG. 11




FIG. 12




FIG. 13




FIG. 14