



US00D754864S

(12) **United States Design Patent**
Heath

(10) **Patent No.:** **US D754,864 S**
(45) **Date of Patent:** **** Apr. 26, 2016**

(54) **HEAD AND NECK RESTRAINT DEVICE**

(71) Applicant: **Kevin Brian Heath**, El Cajon, CA (US)

(72) Inventor: **Kevin Brian Heath**, El Cajon, CA (US)

(73) Assignee: **NecksGen, Inc.**, El Cajon, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/503,142**

(22) Filed: **Sep. 23, 2014**

Related U.S. Application Data

(62) Division of application No. 14/494,535, filed on Sep. 23, 2014, now abandoned.

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/191**

(58) **Field of Classification Search**

USPC D24/191; D6/716.5; D11/200; 297/296,
297/440.11, 452.13, 217.3, 393; 2/462,
2/102, 171, 468, 420, 425, 418; 5/628,
5/637, 655

CPC A47C 7/44; A47C 5/06; A47C 7/282;
A47C 7/383; B60R 11/0235; A63B 7/12;
A63B 71/10; A41D 1/04; A41D 13/0512;
A42B 1/041; A42B 3/324; A42B 3/145;
A61G 1/01; A61G 13/21; A47D 13/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,235,306 A * 2/1966 Chernivsky 297/296
3,500,472 A * 3/1970 Castellani 2/462
D255,494 S * 6/1980 Weidinger D24/191
4,252,113 A * 2/1981 Scire 5/628

(Continued)

FOREIGN PATENT DOCUMENTS

CA 126340 * 6/2009

OTHER PUBLICATIONS

DefNder Head and Neck Restriant System, Announced Mar. 9, 2009,
[Site Visited Aug. 12, 2015] <http://www.trackhq.com/forums/f195/definder-head-neck-restrain-system-1979/>.*

(Continued)

Primary Examiner — John Windmuller

Assistant Examiner — Luqman McNeil

(74) *Attorney, Agent, or Firm* — Atlanta Technology Law

(57) **CLAIM**

The ornamental decorative design for the head and neck restraint device, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of the head and neck restraint device design;

FIG. 2 is a rear isometric view of the new head and neck restraint device design shown in FIG. 1;

FIG. 3 is a left elevation view of the new head and neck restraint device design shown in FIGS. 1 and 2;

FIG. 4 is a right elevation of the new head and neck restraint device design shown in FIGS. 1 and 2;


FIG. 5 is a front plan view of the new head and neck restraint device design shown in FIGS. 1 and 2;

FIG. 6 is a back plan view of the new head and neck restraint device design shown in FIGS. 1 and 2;

FIG. 7 is a top plan view of the new head and neck restraint device design shown in FIGS. 1 and 2; and,

FIG. 8 is a bottom plan view of the new head and neck restraint device design shown in FIGS. 1 and 2.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS


5,207,716 A * 5/1993 McReynolds et al. 5/637
5,211,185 A * 5/1993 Garth et al. 5/628
D339,428 S * 9/1993 Swinea et al. D29/102
5,360,258 A * 11/1994 Alivizatos 297/440.11
D366,732 S * 1/1996 Gregg et al. D29/108
5,503,458 A * 4/1996 Petrie 297/452.13
5,657,766 A * 8/1997 Durham 5/637
5,970,520 A * 10/1999 Garofalo 2/102
6,301,716 B1 * 10/2001 Ross 2/171
6,378,940 B1 * 4/2002 Longoria et al. 297/217.3
6,591,430 B1 * 7/2003 Sledge 2/468
6,607,245 B1 * 8/2003 Scher 297/393
7,003,812 B1 * 2/2006 Lewis et al. 2/468
D539,572 S * 4/2007 Nguyen D6/716.5
D564,406 S * 3/2008 Chandler D11/200

7,464,424 B1 * 12/2008 Formica et al. 5/655
D615,453 S * 5/2010 Spears D11/200
8,015,625 B2 * 9/2011 Grim et al. 2/420
D670,035 S * 10/2012 Mieth et al. D29/102
8,287,045 B1 * 10/2012 Donohue et al. 297/393
8,291,521 B2 * 10/2012 Mazzarolo et al. 2/425
8,510,870 B2 * 8/2013 Rogers et al. 2/418
8,938,820 B2 * 1/2015 Mazzarolo et al. 2/468
2002/0073487 A1 * 6/2002 Phillips et al. 5/628
2008/0238174 A1 * 10/2008 Cinquanta 297/397

OTHER PUBLICATIONS

Defender Head and Neck Restraint, Announced Jul. 28, 2008, [Site Visited Aug. 12, 2015]http://www.1200racing.com/contents/en-us/p173_defender_head_and_neck_restraint.html.*

* cited by examiner






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8