



US00D754873S

(12) **United States Design Patent**
Guger et al.

(10) **Patent No.:** **US D754,873 S**
(45) **Date of Patent:** **** Apr. 26, 2016**

(54) **SENSOR CAP**

(71) Applicants: **Christoph Guger**, Piberbach (AT);
Günter Edlinger, Graz (AT)

(72) Inventors: **Christoph Guger**, Piberbach (AT);
Günter Edlinger, Graz (AT)

(**) Term: **14 Years**

(21) Appl. No.: **29/513,571**

(22) Filed: **Jan. 2, 2015**

(30) **Foreign Application Priority Data**

Jul. 4, 2014 (EM) 0041415749-0004

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/232**

(58) **Field of Classification Search**
USPC D24/232, 107, 158, 186–187, 168;
D2/878, 865, 868–870; D29/102–103,
D29/105–106, 112; 2/410–411, 418;
600/382–383, 386, 393, 409, 544;
604/20, 66; 607/45–46
CPC .. A61B 5/6803; A61B 5/6802; A61B 5/6813;
A61B 5/6814; A61B 5/0478; A61B 5/0476;
A61B 5/165; A61B 5/1114; A61B 5/11;
A61N 5/0613; A61N 5/622

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,998,213 A * 12/1976 Price A61B 5/6814
300/383
D277,787 S * 2/1985 Corbett D24/187
4,537,198 A * 8/1985 Corbett A61B 5/0478
600/383
5,038,782 A * 8/1991 Gevins A61B 5/0476
600/383

6,708,051 B1 * 3/2004 Durousseau A61B 5/0478
600/383
D565,735 S * 4/2008 Washbon D24/187
8,103,328 B2 * 1/2012 Turner A61B 5/0478
600/383
8,364,238 B2 * 1/2013 Fadem A61B 5/0478
600/383
9,031,631 B2 * 5/2015 Tong A61B 5/0478
600/383
2007/0106170 A1 * 5/2007 Dunseath, Jr. A61B 5/0478
600/544
2007/0238945 A1 * 10/2007 Delic A61B 5/0478
600/383
2011/0015503 A1 * 1/2011 Joffe A61B 5/6803
600/301
2012/0143020 A1 * 6/2012 Bordoley A61B 5/1114
600/301
2015/0257673 A1 * 9/2015 Lawrence A61B 5/6803
600/383
2015/0282760 A1 * 10/2015 Badower A61B 5/6803
600/383

* cited by examiner

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — Henry M. Feiereisen LLC;
Urusula B. Day

(57) **CLAIM**

The ornamental design for a sensor cap, as shown and described.

DESCRIPTION

FIG. 1 is a top-front-left side perspective view showing our new design;
FIG. 2 is a top-rear-right side perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof; and,
FIG. 6 is a right side elevational view thereof.
The broken lines are for purposes of modeling the sensor cap on a mannequin and form no part of the design.

1 Claim, 6 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

