



US00D754903S

(12) **United States Design Patent**
Sabernig

(10) **Patent No.:** **US D754,903 S**
(45) **Date of Patent:** **** Apr. 26, 2016**

(54) **LIGHT FIXTURE**

(71) Applicant: **EGLO Leuchten GmbH**, Pill (AT)

(72) Inventor: **Robert Sabernig**, Munster (AT)

(73) Assignee: **EGLO LEUCHTEN GMBH**, Pill (AT)

(**) Term: **14 Years**

(21) Appl. No.: **29/521,691**

(22) Filed: **Mar. 25, 2015**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/83**

(58) **Field of Classification Search**
USPC D26/72, 80–84, 88–91, 118, 143, 144;
362/147, 404–408, 249.02
CPC F21S 8/028; F21S 8/036; F21S 8/04;
F21S 8/043; F21S 8/046; F21S 8/06; F21S
8/061; F21S 8/063; F21S 8/065; F21S 8/068;
F21V 21/03
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D538,962 S *	3/2007	Elliott		D26/118
D570,526 S *	6/2008	Cenedese		D26/88
D598,602 S *	8/2009	Laarman		D26/84
D659,885 S *	5/2012	Holder		D26/127
D679,852 S *	4/2013	Smith		D26/118
D685,513 S *	7/2013	Salvadori		D26/88
D696,450 S *	12/2013	Coury		D26/118
D697,252 S *	1/2014	Baylar		D26/88
D703,365 S *	4/2014	Martin		D26/88
D719,697 S *	12/2014	Wanders		D26/81
D719,698 S *	12/2014	Mollaghaffari		D26/81
D731,105 S *	6/2015	Blackman		D26/88
2014/0268686 A1 *	9/2014	Coury		F21V 1/12 362/121

OTHER PUBLICATIONS

“Odyssey” model No. 30007/42 shown on p. 207 of the E.L.K. Lighting Catalog No. 2900. © 2009. (2 pages, includes rear cover of catalog).*

All “Lenka” light fixtures shown on pp. 224-227 of the Eurofase Illuminations Catalog No. MKT-CAT-EF09. © 2009. (3 pages includes rear cover of catalog).*

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Baker & McKenzie LLP

(57) **CLAIM**

The ornamental design for a light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a light fixture in accordance with my new design;

FIG. 2 is a bottom plan view of the first embodiment of the light fixture in accordance with my new design, the top plan view being identical thereto;

FIG. 3 is a front elevation view of the first embodiment of the light fixture in accordance with my new design, the rear elevation view being identical thereto;

FIG. 4 is a side elevation view of the first embodiment of the light fixture in accordance with my new design, the opposite side being identical thereto;

FIG. 5 is a perspective view of a second embodiment of a light fixture in accordance with my new design;

FIG. 6 is a front elevation view of the second embodiment of the light fixture in accordance to my new design, the rear elevation view being identical thereto;



FIG. 7 is a side elevation view of the second embodiment of the light fixture in accordance with my new design, the opposite side being identical thereto;

FIG. 8 is a top plan view of the second embodiment of the light fixture in accordance with my new design; and,

FIG. 9 is a bottom plan view of the second embodiment of the light fixture in accordance with my new design.

The broken-line disclosure of elements is understood to represent portions of the article in which the design is embodied, but which form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9