



US00D754973S

(12) **United States Design Patent**
Danze et al.

(10) **Patent No.:** **US D754,973 S**
(45) **Date of Patent:** **** *May 3, 2016**

- (54) **SELF-TIGHTENING HOLDING STRAP**
- (71) Applicants: **Alex Danze**, Riverside, CA (US); **Bruce Scranton**, Riverside, CA (US)
- (72) Inventors: **Alex Danze**, Riverside, CA (US); **Bruce Scranton**, Riverside, CA (US)
- (*) Notice: This patent is subject to a terminal disclaimer.

4,414,969 A	11/1983	Heyman	
4,428,390 A	1/1984	Baird	
4,431,226 A *	2/1984	Weilert	294/150
4,854,015 A	8/1989	Shaul	
4,963,410 A *	10/1990	Bryant	428/100
D315,056 S *	3/1991	Seitz	D3/207
5,008,987 A *	4/1991	Armour, II	24/442
5,038,799 A	8/1991	Fowler et al.	
5,044,538 A *	9/1991	Bader	224/258
5,076,288 A	12/1991	Millard et al.	
5,100,393 A	3/1992	Johnson	
5,110,023 A *	5/1992	Colin	224/620

(Continued)

(**) Term: **14 Years**

(21) Appl. No.: **29/475,318**

(22) Filed: **Dec. 2, 2013**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/318**

(58) **Field of Classification Search**
 USPC D3/11, 201, 208, 210, 212, 214, 215, D3/218, 220, 221, 222, 225-227, 230, 243, D3/254, 269, 279, 290, 315, 318, 327, 328, D3/322; 150/100, 104, 107, 108, 111, 112, 150/114, 117, 118, 119, 127, 130; 190/15.1, 102, 108; 224/175, 578, 610; 24/16 R, 306, 442
 CPC A45C 3/00; A45C 3/02; A45C 5/14; A45C 5/00; A45C 5/04; A45C 5/146; A45C 7/0045; A45C 7/0086; A45C 7/00; A45C 2013/306; A45C 13/02; B60R 9/065
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,307,872 A	3/1967	Murcott	
3,383,738 A	5/1968	Fox et al.	
3,543,977 A	12/1970	Lockridge	
3,640,273 A *	2/1972	Ray	602/5
3,893,604 A *	7/1975	Skinner	224/257
3,947,927 A	4/1976	Rosenthal	
3,994,048 A	11/1976	Rosenthal	

Primary Examiner — Carla Jobe Wright

Assistant Examiner — Holly E Thurman

(74) *Attorney, Agent, or Firm* — Kirk A. Buhler; Buhler & Associates


(57) **CLAIM**

The ornamental design for a self-tightening holding strap, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a self-tightening holding strap showing our new design;
 FIG. 2 is a front side view thereof;
 FIG. 3 is a top side view thereof;
 FIG. 4 is a back side view thereof;
 FIG. 5 is a bottom side view thereof;
 FIG. 6 is an enlarged left side view thereof;
 FIG. 7 is an enlarged right side view thereof;
 FIG. 8 is a top perspective view thereof shown in an environment of use; and,
 FIG. 9 is a top perspective view shown in an environment of use.
 The broken lines shown in FIGS. 8 and 9 depict unclaimed environmental subject matter only, which forms no part of the claimed design.
 The weave pattern, hatch-like, and stippled shading shown in FIGS. 1 through 9 indicate woven material, hook material, and loop material respectively.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,136,759	A	8/1992	Armour, II				
5,163,752	A	11/1992	Copeland et al.				
5,598,995	A	2/1997	Meuth et al.				
D408,988	S *	5/1999	Barber et al.	D3/215		
D417,951	S *	12/1999	deMontagnac	D3/215		
6,049,953	A	4/2000	McCay et al.				
6,892,912	B1	5/2005	MacNeil				
7,081,072	B2	7/2006	Allen				
D566,967	S *	4/2008	Hill et al.	D3/327		
7,455,339	B2 *	11/2008	Staples	294/156		
D587,455	S *	3/2009	Goss	D3/315		
7,926,860	B2 *	4/2011	Hill et al.	294/152		
8,069,540	B2 *	12/2011	Obiols et al.	24/306		
D659,057	S *	5/2012	Patton et al.	D12/133		
2008/0223889	A1 *	9/2008	Rossell et al.	224/222		
2013/0277991	A1 *	10/2013	Wu	294/25		

* cited by examiner




FIG 1




FIG 2



FIG 3




FIG 4



FIG 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9