



US00D755038S

(12) **United States Design Patent**
Bolton

(10) **Patent No.:** **US D755,038 S**

(45) **Date of Patent:** **** May 3, 2016**

(54) **MULTI-FIT COVER PLATE**

(71) Applicant: **Luke Bolton**, Surrey Hills (AU)

(72) Inventor: **Luke Bolton**, Surrey Hills (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/499,268**

(22) Filed: **Aug. 13, 2014**

(51) **LOC (10) Cl.** **11-05**

(52) **U.S. Cl.**
USPC **D8/352**

(58) **Field of Classification Search**

USPC D8/350-353; D13/139.1-139.8, 146,
D13/147, 152, 154, 156, 158, 169, 171, 173,
D13/177, 184; D23/238-250, 252-255;
220/241, 3.92, 3.5-3.9, 242, 3.2, 3.3,
220/244, 315; 439/535, 536, 892, 367, 373,
439/537, 541, 938; 52/220.8, 220.1;
174/55, 58, 66, 67, 535
CPC H02G 3/14; H02G 3/126; H02G 3/12;
H01H 9/18; H01R 13/717; H01R 13/66;
E03C 1/042; E03C 1/004; E03C 2201/50;
F16L 5/00; F16L 5/02; F16L 5/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D164,606 S * 9/1951 Schlage D26/149
3,253,449 A * 5/1966 Albro B21D 39/04
72/316
3,605,251 A * 9/1971 Salerno et al. B65H 57/06
118/408
3,615,108 A * 10/1971 Toth E03C 1/182
138/89
3,823,964 A * 7/1974 Politz F16L 5/00
285/46
3,881,752 A * 5/1975 Fujishima F16L 5/10
174/151
4,385,777 A * 5/1983 Logsdon F16L 5/10
16/2.1
D310,324 S * 9/1990 Bernacchi D8/352
D328,210 S * 7/1992 Callon D6/707.2
D357,480 S * 4/1995 Lumsden D14/224
D369,288 S * 4/1996 Jensen D8/310
5,588,681 A * 12/1996 Parks E03C 1/025
137/359
5,755,463 A * 5/1998 Davidson F16L 5/10
285/205

D403,750 S * 1/1999 Fabian D23/254
5,983,924 A * 11/1999 Hodgkinson E03C 1/02
137/312
6,161,589 A * 12/2000 Bolotte F16L 5/02
138/106
6,726,161 B2 * 4/2004 Plump E03C 1/042
248/205.1
7,121,696 B2 * 10/2006 Whitfield, Sr. B05B 15/045
362/147
D554,974 S * 11/2007 Huang D8/352
D571,639 S * 6/2008 Whitney, Jr. D8/352
7,568,314 B2 * 8/2009 Collins H02G 3/22
52/219
D635,009 S * 3/2011 Paterson D6/300
D635,444 S * 4/2011 Roberts, III D8/330
D678,752 S * 3/2013 Sedwick D23/249
D679,171 S * 4/2013 Sedwick D23/249
D703,026 S * 4/2014 Wu D8/350
D736,061 S * 8/2015 Boeltl D6/524
2005/0109523 A1 * 5/2005 Snyder H02G 3/22
174/483
2006/0010595 A1 * 1/2006 Ismert E03C 1/042
4/675
2008/0018102 A1 * 1/2008 Danboise F16L 41/00
285/141.1
2008/0084032 A1 * 4/2008 Cravens B60R 13/06
277/609
2008/0211226 A1 * 9/2008 Whitney F16L 5/10
285/46
2010/0213703 A1 * 8/2010 McCann B23B 49/02
285/220
2011/0186148 A1 * 8/2011 Dvorak F16L 5/00
137/359
2015/0047719 A1 * 2/2015 Bolton E03C 1/021
137/359

* cited by examiner

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Larson & Anderson, LLC

(57) **CLAIM**

The ornamental design for a multi-fit cover plate, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a multi-fit cover plate, which shows our new design.

FIG. 2 is a front elevation view thereof.

FIG. 3 is a rear elevation view thereof; and,

FIG. 4 is an edge elevation view thereof.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4

