



US00D755158S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D755,158 S**
(45) **Date of Patent:** **** May 3, 2016**

(54) **CAP FOR HEADSET**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Ki-Eon Lee**, Seoul (KR); **Seung-Ho Jung**, Seongnam-si (KR); **Jin-Man Chung**, Gwacheon-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/517,497**

(22) Filed: **Feb. 13, 2015**

(30) **Foreign Application Priority Data**

Aug. 28, 2014 (KR) 30-2014-0042146

(51) **LOC (10) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/205; D14/223**

(58) **Field of Classification Search**
USPC D14/205, 223; D24/174; 181/129, 130,
181/135; 379/430, 431; 381/381, 380, 328,
381/324; 455/90.3, 575.1; 128/866
CPC H04R 1/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,403,418 A * 7/1946 Volkmann H04R 1/1008
181/129

2,719,523 A * 10/1955 Von Gierke A61F 11/10
128/864

3,496,306 A * 2/1970 Pollak H04R 25/608
29/896.21

3,598,928 A * 8/1971 Hickox H04R 25/608
200/292

D340,286 S * 10/1993 Seo D24/174

6,056,082 A * 5/2000 Lindgren A61F 11/12
128/864

D514,094 S * 1/2006 Griffin D14/223

7,010,137 B1 * 3/2006 Leedom A61B 5/6817
381/322

7,092,543 B1 * 8/2006 Mahoney H04R 25/65
381/322

D549,222 S * 8/2007 Huang D14/223

7,292,823 B2 * 11/2007 Kuo H04M 1/05
379/330

D564,495 S * 3/2008 Sasaki D14/205

D579,005 S * 10/2008 Wilhelmsen D14/223

D587,247 S * 2/2009 Densho D14/223

D587,681 S * 3/2009 Yanai D14/205

D610,129 S * 2/2010 Densho D14/223

D618,219 S * 6/2010 Burgett D14/223

D621,389 S * 8/2010 Nagayama D14/223

D622,265 S * 8/2010 Rye D14/223

D622,705 S * 8/2010 Fahrendorff D14/223

D623,171 S * 9/2010 Chen D14/223

(Continued)

Primary Examiner — Paula Greene
(74) *Attorney, Agent, or Firm* — NSIP Law

(57) **CLAIM**
We claim the ornamental design for a cap for headset, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a cap for headset showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left-side view thereof;

FIG. 5 is a right-side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a cross sectional view taken along the line 8-8 of FIG. 6;



FIG. 9 is an another perspective view thereof, as shown a headset environment; and,

FIG. 10 is an enlarged exploded view of a portion of the cap for headset of FIG. 9.

The broken lines in the figures show portions of the cap for headset which form no part of the claimed design.

The dot-dash broken lines encircling enlargement portions of the design forms no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D627,766 S *	11/2010	Arimoto	D14/223	8,666,102 B2 *	3/2014	Bruckhoff	A61F 11/008
7,965,855 B1 *	6/2011	Ham	H04R 1/1091					381/328
				181/130	D712,882 S *	9/2014	Wang	D14/223
D660,291 S *	5/2012	Thomas	D14/223	D716,770 S *	11/2014	Bonahoom	D14/223
					D732,008 S *	6/2015	Akana	D14/223
					D742,362 S *	11/2015	Bonahoom	D14/205
					D744,456 S *	12/2015	Pedersen	D14/223

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

