



US00D755356S

(12) **United States Design Patent**
Vaseleniuck et al.

(10) **Patent No.:** **US D755,356 S**
(45) **Date of Patent:** **** May 3, 2016**

- (54) **SEAL**
- (71) Applicant: **VAZTEC, LLC**, Denver, NC (US)
- (72) Inventors: **Darrick Vaseleniuck**, Denver, NC (US);
David Vaseleniuck, Denver, NC (US)
- (73) Assignee: **Vaztec, LLC**, Denver, NC (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/516,085**
- (22) Filed: **Jan. 29, 2015**
- (51) **LOC (10) Cl.** **23-01**
- (52) **U.S. Cl.**
USPC **D23/269**
- (58) **Field of Classification Search**
USPC D13/120; D23/259-266, 269, 393
CPC E03F 5/06; F16L 23/036; F16L 23/08;
F16L 9/003; F16L 19/064; F16L 19/10283;
F16L 19/065; B21D 22/16; F16J 15/125
See application file for complete search history.

| | | | | | | |
|--------------|-----|---|---------|---------------|-------|-----------------------|
| D456,072 | S | * | 4/2002 | Mattsson | | D23/393 |
| D461,887 | S | * | 8/2002 | Mattsson | | D23/393 |
| D475,781 | S | * | 6/2003 | Mattsson | | D23/393 |
| D516,698 | S | * | 3/2006 | Stout, Jr. | | D23/393 |
| D517,679 | S | * | 3/2006 | Stout, Jr. | | D23/393 |
| 7,240,654 | B2 | | 7/2007 | Verdial | | |
| D663,387 | S | * | 7/2012 | Mjelde | | D23/261 |
| 2002/0148428 | A1 | | 10/2002 | Pisano et al. | | |
| 2003/0160452 | A1* | | 8/2003 | Mattsson | | F16L 9/003 285/424 |
| 2006/0150930 | A1 | | 7/2006 | Swenson | | |
| 2011/0277719 | A1 | | 11/2011 | Snow | | |

FOREIGN PATENT DOCUMENTS

EP 0099873 2/1984

OTHER PUBLICATIONS

Vorobiev, V., International Search Report for PCT/US2012/059506,
Dec. 24, 2012, Moscow, Russia.

* cited by examiner

Primary Examiner — George D Kirschbaum
Assistant Examiner — Amy Wierenga
(74) *Attorney, Agent, or Firm* — Trego, Hines & Ladenheim,
PLLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|-----------|-------|------------------------|
| 1,094,329 | A | 4/1914 | Henderson | | |
| 1,794,061 | A | 2/1931 | Culver | | |
| 3,576,330 | A * | 4/1971 | Gard | | F16J 15/125 277/654 |
| 4,036,184 | A | 7/1977 | Guenther | | |
| 4,043,370 | A * | 8/1977 | Unwin | | B60C 3/02 152/429 |
| 5,129,690 | A * | 7/1992 | Meinig | | F16L 23/08 285/363 |
| 5,135,270 | A * | 8/1992 | Arnoldt | | F16L 23/08 285/363 |
| 6,295,961 | B1 | 10/2001 | Carter | | |
| 6,308,677 | B1 | 10/2001 | Bohach | | |
| D453,042 | S * | 1/2002 | Mattsson | | D23/393 |
| D454,949 | S * | 3/2002 | Mattsson | | D23/393 |



(57) **CLAIM**

The ornamental design for a seal, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a seal, showing our design;
FIG. 2 is a top view of the seal of FIG. 1;
FIG. 3 is a bottom view of the seal of FIG. 1;
FIG. 4 is a right side elevation of the seal of FIG. 1;
FIG. 5 is a left side elevation of the seal of FIG. 1;
FIG. 6 is a front elevation of the seal of FIG. 1; and,
FIG. 7 is a rear elevation of the seal of FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7