



US00D755468S

(12) **United States Design Patent**
Elliott

(10) **Patent No.:** **US D755,468 S**
(45) **Date of Patent:** **** May 10, 2016**

- (54) **HOLLOWED BUN**
- (71) Applicant: **Barbara B. Elliott**, Fisher, IN (US)
- (72) Inventor: **Barbara B. Elliott**, Fisher, IN (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/522,508**
- (22) Filed: **Mar. 31, 2015**

4,190,229 A	2/1980	Bradshaw	
4,214,517 A *	7/1980	Caldwell	A47J 37/0864 249/122
4,348,949 A *	9/1982	Selleck	A21B 3/13 426/391
D295,455 S	5/1988	Han	
D312,914 S	12/1990	Daldrup	
D314,853 S *	2/1991	Garrett	D1/101
5,690,019 A	11/1997	Barker et al.	
D392,516 S	3/1998	Evans	
D402,412 S	12/1998	Thorpe	
D404,536 S	1/1999	Hepworth	
6,024,995 A	2/2000	Rosso	
D427,747 S	7/2000	Bentley	
D450,420 S *	11/2001	Brost	D1/129
D530,860 S	10/2006	Funkhouser et al.	
D531,036 S	10/2006	Bried et al.	
D579,626 S *	11/2008	Schulman	D1/122
D626,289 S	10/2010	Lee	
D685,527 S	7/2013	Eberlein et al.	
D697,674 S	1/2014	You	
D719,715 S	12/2014	Kesselman	
2003/0082253 A1	5/2003	Chang	
2012/0201927 A1 *	8/2012	Meikle	A21B 3/134 426/62

Related U.S. Application Data

- (63) Continuation-in-part of application No. 29/460,223, filed on Jul. 9, 2013, now Pat. No. Des. 727,591.
- (51) **LOC (10) Cl.** **01-01**
- (52) **U.S. Cl.**
USPC **D1/129; D1/122**
- (58) **Field of Classification Search**
USPC D1/100-130, 199; 426/92, 94, 104, 426/134, 138, 143, 275, 277, 279, 281-284, 426/292, 295, 391, 496, 514, 566, 572, 426/660; D9/500, 504, 643; D6/351; 425/116, 401; 215/321; D30/118; 220/4.21; 206/581; D28/82
See application file for complete search history.

* cited by examiner

Primary Examiner — Garth Rademaker

Assistant Examiner — Katie Mroczka

(74) *Attorney, Agent, or Firm* — Woodard, Emhardt, Moriarty, McNett & Henry LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,600,191 A *	9/1926	Mandelbaum	A21D 13/0025 346/33 A
2,243,137 A *	5/1941	Vaughan	A47J 37/0611 99/381
2,255,089 A *	9/1941	Simonds	A21B 3/132 249/133
2,330,410 A *	9/1943	Cyr	A21B 5/02 99/439
D205,126 S *	6/1966	Haessler	D1/122
3,341,167 A *	9/1967	Weiss	A47J 43/20 249/119
3,551,161 A *	12/1970	Whitestone	A21D 13/0022 426/283
D234,275 S	2/1975	Kosecoff	
4,047,477 A	9/1977	Berke	


(57) **CLAIM**

The ornamental design for a hollowed bun, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the hollowed bun showing my new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a top view thereof; and,
 FIG. 7 is a bottom view thereof.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7