



US00D755505S

(12) **United States Design Patent**  
**Marteau**(10) **Patent No.:** **US D755,505 S**  
(45) **Date of Patent:** **\*\* May 10, 2016**(54) **SEPARABLE RING**(71) Applicant: **Romain Marteau**, New York, NY (US)(72) Inventor: **Romain Marteau**, New York, NY (US)(\*\*) Term: **14 Years**(21) Appl. No.: **29/515,636**(22) Filed: **Jan. 26, 2015**(51) LOC (10) Cl. .... **03-01**

(52) U.S. Cl.

USPC ..... **D3/207**(58) **Field of Classification Search**USPC ..... D3/207-212; 70/456 B, 457, 458, 408;  
D13/168; D8/347; D10/104; D14/496;  
206/37.1CPC ..... H04B 1/034; F04B 15/00; A44B 15/00  
See application file for complete search history.(56) **References Cited**

## U.S. PATENT DOCUMENTS

168,832 A *	10/1875	Denio et al.	.....	A45C 11/324 70/456 R
482,670 A *	9/1892	Ackerman	.....	A44B 15/00 24/3.6
870,191 A *	11/1907	Morden	.....	A45C 11/324 70/456 R
932,787 A *	8/1909	Kirby	.....	A44B 15/00 24/3.6
1,286,273 A *	12/1918	Gariss	.....	A44B 15/00 59/85
2,292,563 A *	8/1942	Imhoff	.....	A44B 15/00 224/217
2,410,951 A *	11/1946	Kuhnl	.....	A44B 15/00 70/458
2,499,591 A *	3/1950	Kraft	.....	A44B 15/00 24/598.3

4,325,273 A *	4/1982	Gibbons	.....	A44B 15/007 70/456 R
4,543,860 A *	10/1985	Van Meter	.....	A44B 15/007 7/170
5,996,191 A *	12/1999	Christler	.....	A44B 15/00 24/36
6,845,644 B1 *	1/2005	Buckner	.....	A44B 15/00 24/20 EE
6,860,130 B2 *	3/2005	Brantschem	.....	A44B 15/005 70/456 B
7,093,468 B2 *	8/2006	Song	.....	A44B 15/00 24/3.6
D666,407 S *	9/2012	Schoultz	.....	D3/207
8,464,564 B2 *	6/2013	Von Shoultz	.....	A44B 15/00 24/3.6

\* cited by examiner


Primary Examiner — Ralf Seifert


(74) Attorney, Agent, or Firm — Cohen & Hildebrand,  
PLLC(57) **CLAIM**

The ornamental design for a separable ring, as shown and described.


## DESCRIPTION

FIG. 1 is a perspective frontal view of the separable ring;  
FIG. 2 is a front view of the separable ring;  
FIG. 3 is a right side view of the separable ring;  
FIG. 4 is a back view of the separable ring;  
FIG. 5 is a left side view of the separable ring;  
FIG. 6 is a top view of the separable ring;  
FIG. 7 is a bottom view of the separable ring;  
FIG. 8 is a perspective view of the separable ring, upon separation; and,  
FIG. 9 is a perspective view of the separable ring, upon completion of separation.


**1 Claim, 7 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 5**




**FIG. 4**



**FIG. 6**



**FIG. 7**



**FIG. 8**




FIG. 9