



US00D755576S

(12) **United States Design Patent**
Mayer

(10) **Patent No.:** **US D755,576 S**
(45) **Date of Patent:** **** May 10, 2016**

- (54) **BEVERAGE DETERMINATION INDICATOR**
- (71) Applicant: **Simone Mayer**, Miami Shores, FL (US)
- (72) Inventor: **Simone Mayer**, Miami Shores, FL (US)
- (73) Assignee: **Front of the House**, Miami Shores, FL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/447,906**
- (22) Filed: **Mar. 7, 2013**

Related U.S. Application Data

- (60) Division of application No. 29/390,090, filed on Apr. 20, 2011, now abandoned, which is a continuation of application No. 29/326,802, filed on Oct. 24, 2008, now Pat. No. Des. 638,664.
- (51) **LOC (10) Cl.** **07-06**
- (52) **U.S. Cl.**
USPC **D7/624.1**
- (58) **Field of Classification Search**
USPC D7/601, 619.1, 624.1, 625, 637, D7/640-641, 388; 211/41.1-41.2, 41.7, 211/60.1, 70.6-70.7, 74-75; 248/37.3, 248/37.6, 176.1-176.2
CPC A47G 23/03; A47G 23/0306; A47G 23/0316; A47G 23/032
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,960,606 A * 5/1934 Verbeck 248/346.11
- 2,601,312 A * 6/1952 McGrew 248/346.11
- 2,672,250 A 3/1954 Haslett

- 3,486,753 A * 12/1969 Mansfield 273/294
- D339,829 S 9/1993 Adell
- D339,830 S 9/1993 Adell
- D339,831 S 9/1993 Adell
- D343,206 S * 1/1994 Adell D21/371
- D346,410 S 4/1994 Adell
- D350,162 S 8/1994 Adell
- D351,004 S 9/1994 Adell
- 5,803,454 A * 9/1998 Adell 273/144 B
- D460,899 S 7/2002 Tu
- D541,595 S * 5/2007 Barnes D7/624.1
- D575,981 S * 9/2008 Pourounidis et al. D7/388
- D638,664 S * 5/2011 Mayer D7/624.1
- 2005/0077447 A1 4/2005 Martindale-Sharp
- 2010/0051632 A1 * 3/2010 Mayer 220/737

* cited by examiner

Primary Examiner — Dana L Meyrow

(74) *Attorney, Agent, or Firm* — Proskauer Rose LLP



(57) **CLAIM**

The ornamental design for beverage determination indicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a beverage determination indicator;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a perspective view of a second embodiment of a beverage determination indicator;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a perspective view of a third embodiment of a beverage determination indicator;
 FIG. 8 is a top plan view thereof; and,
 FIG. 9 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






FIG. 3




FIG. 2




FIG. 1




FIG. 6




FIG. 5




FIG. 4




FIG. 7




FIG. 8




FIG. 9