



US00D755653S

(12) **United States Design Patent**
Shinmei et al.

(10) **Patent No.:** **US D755,653 S**

(45) **Date of Patent:** **** May 10, 2016**

(54) **RADIATION DETECTOR**

(71) Applicant: **Nihon Dempa Kogyo Co., Ltd.**, Tokyo
(JP)

(72) Inventors: **Kiyoto Shinmei**, Saitama (JP); **Shunichi Wakamatsu**, Saitama (JP); **Tsuyoshi Shiobara**, Saitama (JP); **Hiroyuki Kukita**, Saitama (JP)

(73) Assignee: **Nihon Dempa Kogyo Co., Ltd.**, Tokyo
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/500,345**

(22) Filed: **Aug. 25, 2014**

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/47; D10/78**

(58) **Field of Classification Search**
USPC D10/47, 78
CPC G01T 1/00; G01T 1/003; G01T 1/006;
G01T 1/02; G01T 1/023; G01T 1/026

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D669,799 S * 10/2012 Okudaira et al. D10/47
D724,963 S * 3/2015 Ambrose D10/47
9,069,083 B2 * 6/2015 Goldstein et al. 1/1

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Locke Lord LLP; Scott D. Wofsy

(57) **CLAIM**

The ornamental design for a radiation detector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the radiation detector of the present design;

FIG. 2 is front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a top thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a referential drawing explaining a display thereof whereon a measured value is indicated is translucent.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7




FIG. 8