

US00D756510S

(12) **United States Design Patent**  
**Fitzgerald et al.**

(10) **Patent No.:** **US D756,510 S**

(45) **Date of Patent:** **\*\* May 17, 2016**

(54) **STRETCHABLE SLEEVE FOR SECURING CATHETER TUBES ON A PATIENT**

(71) Applicants: **Michael Fitzgerald**, Danvers, MA (US);  
**Kezia Fitzgerald**, Danvers, MA (US)

(72) Inventors: **Michael Fitzgerald**, Danvers, MA (US);  
**Kezia Fitzgerald**, Danvers, MA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/495,260**

(22) Filed: **Jun. 30, 2014**

(51) **LOC (10) Cl.** ..... **24-01**

(52) **U.S. Cl.**

USPC ..... **D24/128**

(58) **Field of Classification Search**

USPC ..... D24/128, 206-208, 189-192; 607/96,  
607/104, 108, 109-112, 114; D6/608, 609;  
219/528, 529; 128/95.1, 100.1, 101.1,  
128/876; 602/1-7, 17-27, 61-66, 74;  
126/204; 601/15, DIG. 1, DIG. 2,  
601/DIG. 15; 604/104; 383/62, 78, 81-83,  
383/89; D29/101.2, 101.5, 120.1, 121.1,  
D29/108, 121.2, 122; D3/327; D9/707;  
606/204, 27

CPC ... A61M 25/02; A61M 39/08; A61M 5/1418;  
A61F 13/10; A61F 13/143

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D316,915	S	*	5/1991	Dryzal	.....	D29/120.1
D487,171	S	*	2/2004	Miller	.....	D29/120.1
D515,745	S	*	2/2006	Leyva	.....	D29/120.1
D548,892	S	*	8/2007	Wilson et al.	.....	D29/120.1
D560,041	S	*	1/2008	Cook et al.	.....	D29/120.1
D634,900	S	*	3/2011	Eff	.....	D29/120.1
D660,438	S	*	5/2012	Kennedy et al.	.....	D24/190
D689,191	S	*	9/2013	Devito	.....	D24/192
D706,430	S	*	6/2014	Strebeigh	.....	D24/190
D711,007	S	*	8/2014	Cain	.....	D24/190
D725,263	S	*	3/2015	Honma et al.	.....	D24/133
2013/0012883	A1	*	1/2013	Fitzgerald et al.	.....	604/179
2014/0343469	A1	*	11/2014	Bush	.....	602/1

\* cited by examiner

*Primary Examiner* — David Muller

*Assistant Examiner* — Nathan Johnston

(74) *Attorney, Agent, or Firm* — Daniel N. Smith

(57) **CLAIM**

The ornamental design for a stretchable sleeve for securing catheter tubes on a patient, as shown and described.

**DESCRIPTION**

FIG. 1 illustrates a top perspective view of a stretchable sleeve for securing catheter tubes on a patient showing our new design;

FIG. 2 illustrates a top plan view thereof;

FIG. 3 illustrates a bottom plan view thereof;

FIG. 4 illustrates a right side elevation view thereof;

FIG. 5 illustrates a left side elevation view thereof;

FIG. 6 illustrates a front elevation view thereof;

FIG. 7 illustrates a rear elevation view thereof;

FIG. 8 illustrates a top perspective view of the unfolded stretchable sleeve placed over a single catheter tube insertion point on a patient's arm;

FIG. 9 illustrates a top perspective view of a portion of the single catheter tube being pulled through a slit on the unfolded stretchable sleeve;

FIG. 10 illustrates a top perspective view of the portion of the single catheter tube being inserted into a pocket on the unfolded stretchable sleeve;


FIG. 11 illustrates a top perspective view of the unfolded stretchable sleeve placed over a patient's arm with the single catheter tube secured by the sleeve;


FIG. 12 illustrates a top perspective view of the stretchable sleeve being folded over the single catheter tube secured by the sleeve; and,

FIG. 13 illustrates a top perspective view of the stretchable sleeve placed over a patient's arm folded over the single catheter tube secured by the sleeve.


The broken line showing of parts of the drawings is included for the purpose of illustrating portions of the "article" and forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






*Fig. 1*



*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*




*Fig. 6*




*Fig. 7*




*Fig. 8*




*Fig. 9*



*Fig. 10*



*Fig. 11*






Fig. 12




Fig. 13